



DEERWOOD
FASTENERS

Product Catalog

Your partner in craftsmanship

Your partner in craftsmanship.

At Deerwood Fasteners, we take pride in being more than just a supplier—we're your partner in craftsmanship. True craftsmanship is defined by excellence in quality, the use of superior materials, and a deep pride in the finished product. It's about going the extra mile, not for recognition, but to ensure that every piece you create becomes a masterpiece.

We understand the dedication it takes to be a leader in woodworking. That's why Deerwood Fasteners are built to meet the highest standards of precision and durability. Whether you're crafting furniture or cabinets, our fasteners are designed to support your vision, ensuring that your customers experience the beauty and functionality of your work.

Experience the Deerwood difference: fasteners made with pride, engineered for excellence, and tailored for your specific applications. Together, let's create something extraordinary.

Table of Contents


Wood Fasteners Guide	4
Part Number Explanation.....	6
Flat Head Phillips	7
Twinfast / Kwixin Phillips Screws.....	10
Flat Head Undercut	11
Flat Head.....	12
Zip Driver Assembly Screws	19
Pan Head	21
Round Washer.....	24
Pocket Hole.....	27
Oval Head	28
Trim Head.....	29
Euro Screw.....	30
Truss Head.....	31
Modified Truss	33
Drawer Front Adjustment.....	35
Machine Screws	36
Woodmaster Jar Display.....	37
RTA - Conformat Screws	38
Countertop Connecting Bolts	39
Finishing Cup Washers.....	40
Driver Bits.....	41
Hand Drivers and Bit Holders	43
Factory Tour.....	44
Other Brands	46
Sales Map.....	47

Scan here to visit
our website for more
product information!




Wood Fastener Guide


Measurements




Types of Screw Threads




Lo-Root® Deep Thread - Single lead with a wider, deeper thread for use in soft woods and man-made boards.




WoodMaster™ Thread - Patented serrated tooth thread provides easy driving and greater holding power than type 17 points while reducing wood splitting.




Twinfast Thread - Double lead thread for use in hardwoods and tough applications.



Tapping Type A Screw Thread - Standard single lead thread and commonly used with pan, oval, truss and short length flat heads.



Machine Screws - Standard and metric thread for knobs, pull and metal parts.



Hi-Lo™ Thread - Greater holding power for hard and soft woods.

Types of Screw Points



Sharp Point - Available with twinfast and deep thread screws (30-35 degrees).




Type A Point - A gimlet point and normally available with tapping screws.



Type-17 Point - A special sharp fluted point to enhance wood penetration.



Double XL Cutter - Similar to a Type 17, but with a longer channel for more cutting power.




Type B Point - A blunt point available with machine, euro and firmit screws.

Scan here to visit our website for more product information!



Wood Fastener Guide

Types of Screw Heads

-  **Flat Head** - Flat top surface with a countersunk bearing surface.
-  **Pan Head** - Flat bearing surface, a semi-elliptical top surface, and cylindrical side surface.
-  **Truss Head** - Low profile semi-elliptical top surface with flat bearing surface.
-  **Oval Head** - Slightly rounded top surface with a countersunk bearing surface.
-  **Round Washer Head** - Built-in washer provides a larger bearing surface.
-  **Fillister Flat Top Pan Head** - Flat top pan head design allows for a deeper recess and optimum bit engagement.
-  **Modified Truss Head** - Low head profile, larger load bearing surface.
-  **Undercut** - Head designed to seat properly in undersized countersunk holes.

Types of Screw Recesses

-  **Phillips** - Most common recess used in woodworking.
-  **Phillips - Slot** - Available with standard and metric machine screws.
-  **Robertson® Square** - Increasing in popularity due to more positive holding while driving.
-  **Recex®** - Square Phillips combination drive allows positive driving and after market serviceability.
-  **Pozidrive** - Available with Euro screws.
-  **Star** - High torque with reduced cam out.

Recess Size

Phillips Drive	Square Drive	Star Drive
 No. 1	 No. 1	 No. 1
 No. 2	 No. 2	 No. 2
 No. 3	 No. 3	 No. 3

Major Thread & Head Diameter (Gauge)

Approximate size for Twinfast and Deep Thread Flat Head screws from Deerwood Fasteners.



CONOVER, NC

630 REESE DR SW,
CONOVER, NC 28613

HAYWARD, CA

2039 AMERICAN AVENUE
HAYWARD, CA 94545

DEERWOOD.COM

SALES@PANAMERICANSCREW.COM | 1-800-951-2222

Scan here to visit
our website for more
product information!



Part Number Explanation

B F X P 0 8 1 1 4 R 2 Z
1 2 3 4 5 6 7 8

Postion #	Description	Examples	
1	Package Code	B = Bulk M = 1,000 Pack P = Poly-bagged	C = 100pc Pack L = 5,000pc Pack D = 500pc Pack
2	Head Description	F = Flat Head L = Flat Top Pan Head P = Pan Head T = Truss Head RW = Raised Washer Head	W = Round Washer O = Oval Head V = Trim Head H = Hex Head M = Modified Truss
3	Recess Type	X = Phillips P = Pozi R = Recex®	S = Roberston® Square C = Combination (Slot and Phillips) T = Star
4	Thread Type	P = Deep Thread B = Breakaway E = Euro Screw T = Type F W = WoodMaster	F = Fine Thread M = Machine Screw H = HiLo A = Twinfast, Type A Tapping C = Chipboard
5	Gauge & Size	Examples	08114 = #8 x 1-1/4" 10300 = #10 x 3"
6	Variations	R = Regular N = Nibs H = Hole (for Cover Cap) U = Undercut	S = Type 17 D = Drill Point X = XL Type 17
7	Recess Size	1 = #1	2 = #2 3 = #3
8	Finish Code	E = Antique English F = Black N = Nickel Y = Yellow Zinc D = Sand/Tan J = Stainless	R = Bright Brass Z = Zinc S = Stat. Bronze C = White L = Lube (Lubricized®) A = Redwood

Applies to most, but not all items.



DEERWOOD
FASTENERS™

CONOVER, NC

630 REESE DR SW,
CONOVER, NC 28613

HAYWARD, CA

2039 AMERICAN AVENUE
HAYWARD, CA 94545

DEERWOOD.COM

SALES@PANAMERICANSCREW.COM | 1-800-951-2222

Scan here to visit our website for more product information!



Flat Head Phillips Drive

Full Thread - Type 17



Full Thread - Type 17

Size	Bulk		Box QTY	1000 Pack	
	Zinc	NKL		NKL	
6 x 1/2	BFXP06012S2Z-38	--	38,000	--	
6 x 3/4	BFXP06034S2Z-24	BFXP06034S2N-24	24,000	MFXP06034S2N-16	
6 x 5/8	BFXP06058S2Z-30	BFXP06058S2N-30	30,000	MFXP06058S2N-16	
8 x 3/4	BFXP08034S2Z-15	--	15,000	--	

2/3 Thread - Type 17 - Nibs under head



Size	Bulk		Box QTY	1000 Pack	
	Black	Zinc		Black	Zinc
8 x 1	BFXP08100SNF-11	BFXP08100SNZ-11	11,000	MFXP08100SNF-6	MFXP08100SNZ-6
8 x 1-1/4	BFXP08114SNF-9	BFXP08114SNZ-9	9,000	MFXP08114SNF-4	MFXP08114SNZ-4
8 x 1-1/2	BFXP08112SNF-7	BFXP08112SNZ-7	7,000	MFXP08112SNF-4	MFXP08112SNZ-4
8 x 1-5/8	BFXP08158SNF-5.5	BFXP08158SNZ-5.5	5,500	MFXP08158SNF-4	MFXP08158SNZ-4
8 x 1-3/4	BFXP08134SNF-4.8	BFXP08134SNZ-4.8	4,800	MFXP08134SNF-4	MFXP08134SNZ-4
8 x 2	BFXP08200SNF-4	BFXP08200SNZ-4	4,000	MFXP08200SNF-2	MFXP08200SNZ-2
8 x 2-1/4	BFXP08214SNF-3.5	BFXP08214SNZ-3.5	3,500	MFXP08214SNF-2	MFXP08214SNZ-2
8 x 2-1/2	BFXP08212SNF-2.5	BFXP08212SNZ-2.5	2,500	MFXP08212SNF-2	MFXP08212SNZ-2
8 x 3	BFXP08300SNF-2	BFXP08300SNZ-2	2,000	MFXP08300SNF-1	MFXP08300SNZ-1

*Additional sizes and finishes may be available. Please contact Customer Service for more info.

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.



Flat Head Phillips Drive

2/3 Thread

2/3 Thread



Size	Bulk		Box QTY	1000 Pack
	Black	Zinc		Black
8 x 1-1/8		BFXP08118R2Z-10	10,000	--
8 x 1-1/4	BFXP08114R2F-9	BFXP08114R2Z-9	9,000	MFXP08114R2F-4
8 x 1-1/2	BFXP08112R2F-7	BFXP08112R2Z-7	7,000	MFXP08112R2F-4
8 x 1-3/4	BFXP08134R2F-4.8	BFXP08134R2Z-4.8	4,800	MFXP08134R2F-4
8 x 1-3/8	--	BFXP08138R2Z-8	8,000	--
8 x 1-5/8	BFXP08158R2F-5.5	BFXP08158R2Z-5.5	5,500	--
8 x 2	BFXP08200R2F-4	BFXP08200R2Z-4	4,000	MFXP08200R2F-2
8 x 2-1/4	BFXP08214R2F-3.5	BFXP08214R2Z-3.5	3,500	--
8 x 2-1/2	BFXP08212R2F-2.5	BFXP08212R2Z-2.5	2,500	MFXP08212R2F-2
8 x 3	BFXP08300R2F-2	BFXP08300R2Z-2	2,000	MFXP08300R2F-1
9 x 1	BFXP09100R2F-10	--	10,000	--
9 x 1-1/4	BFXP09114R2F-7	--	7,000	--
9 x 2	BFXP09200R2F-3.5	--	3,500	--
9 x 2-1/2	BFXP09212R2F-2.5	--	2,500	--
9 x 3	BFXP09300R2F-2	--	2,000	--
10 x 3/4	BFXP10034R3F-10	--	10,000	--
10 x 1	BFXP10100R3F-8	--	8,000	--
10 x 1-1/4	BFXP10114R3F-6	--	6,000	--
10 x 1-1/2	BFXP10112R3F-5	--	5,000	--
10 x 1-3/4	BFXP10134R3F-4	--	4,000	--
10 x 2	BFXP10200R3F-3.2	--	3,200	--
10 x 2-1/2	BFXP10212R3F-2	--	2,000	--
10 x 3	BFXP10300R3F-1.5	--	1,500	--
10 x 3-1/2	BFXP10312R3F-1	--	1,000	--
10 x 4	--	BFXP10400R3Z-1	1,000	--

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.



Flat Head Phillips Drive

Full Thread



Full Thread

Size	Bulk			Box QTY	1000 Pack Part Numbers		1000 Pack Part Numbers	
	Black	Zinc	Nickel		Nickel	Zinc	Zinc	Nickel
4x1/2	--	BFXP04012R1Z-55	--	55,000	--	MFXP04012R1Z-18	--	--
4x5/8	BFXP04058R1F-45	BFXP04058R1Z-45	--	45,000	--	--	--	--
5x1/2	--	BFXP05012R2Z-40	BFXP05012R2N-40	40,000	MFXP05012R2N-18	MFXP05012R2Z-18	--	--
5x5/8	BFXP05058R2F-32	BFXP05058R2Z-32	BFXP05058R2N-32	32,000	MFXP05058R2N-18	--	--	--
6x1/2	--	BFXP06012R2Z-38	BFXP06012R2N-38	38,000	MFXP06012R2N-18	MFXP06012R2Z-18	--	CFXP06012R2N-66
6x3/4	BFXP06034R2F-24	BFXP06034R2Z-24	BFXP06034R2N-24	24,000	MFXP06034R2N-16	MFXP06034R2Z-16	--	CFXP06034R2N-66
6x5/8	BFXP06058R2F-30	BFXP06058R2Z-30	BFXP06058R2N-30	30,000	MFXP06058R2N-16	MFXP06058R2Z-16	CFXP06058R2Z-66	CFXP06058R2N-66
6x1	BFXP06100R2F-13.5	--	BFXP06100R2N-13.5	13,500	MFXP06100R2N-16	MFXP06100R2Z-6	--	--
6x1-1/4	--	BFXP06114R2Z-10.5	--	10,500	--	MFXP06114R2Z-6	--	--
6x1-1/2	BFXP06112R2F-8.5	BFXP06112R2Z-8.5	--	8,500	--	MFXP06112R2Z-4	--	--
6x7/16	--	BFXP06716R2Z-38	--	38,000	--	--	--	--
7x3/4	--	--	BFXP07034R2N-18	18,000	MFXP07034R2N-6	--	CFXP07034R2N-66	--
7x5/8	--	--	BFXP07058R2N-24	24,000	MFXP07058R2N-16	--	CFXP07058R2N-66	--
8x1/2	--	BFXP08012R2Z-20	--	20,000	--	--	--	--
8x3/4	BFXP08034R2F-15	BFXP08034R2Z-15	--	15,000	--	MFXP08034R2Z-6	--	--
8x5/8	BFXP08058R2F-18	BFXP08058R2Z-18	--	18,000	--	MFXP08058R2Z-6	--	--
8x7/8	BFXP08078R2F-15	--	--	15,000	--	--	--	--
8x1	BFXP08100R2F-11	BFXP08100R2Z-11	--	11,000	--	MFXP08100R2Z-6	--	--

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Twinfast / Kwixin™ Phillips Screws

Flat Head Phillips Assembly Screws

- Phillips drive
- Sharp Point
- Twinfast Kwixin™ Thread for Hardwoods
- Black Finish



Size	Bulk	Bulk QTY
8 x 1-1/2	BFXA08112R2F-7	7,000
8 x 2	BFXA08200R2F-3.5	3,500
9 x 1-1/2	BFXA09112R2F-5	5,000
10 X 1-1/2	BFXA10112R3F-5	5,000
10 X 2	BFXA10200R3F-3.2	3,200
10 X 2-1/4	BFXA10214R3F-2.5	2,500
10 X 2-1/2	BFXA10212R3F-2	2,000



All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.



CONOVER, NC

630 REESE DR SW,
CONOVER, NC 28613

HAYWARD, CA

2039 AMERICAN AVENUE
HAYWARD, CA 94545

DEERWOOD.COM

SALES@PANAMERICANSCREW.COM | 1-800-951-2222

Scan here to visit our website for more product information!



Flat Head Undercut

Phillips Drive



Phillips Drive - Full Thread - Zinc

Size	Bulk	Bulk QTY	1000 Pack
6 x 1/2	BFXP06012U2Z-38	38,000	MFXP06012U2Z-18
6 x 5/8	--	--	MFXP06058U2Z-16

*Additional sizes and finishes may be available. Please contact Customer Service for more info.

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Flat Head Recex®

Square/Phillips Combo Drive Woodmaster® Thread



Woodmaster™ Serrated Thread Design

- Quick Starting
- Reduced Splitting
- Less Drive Torque
- Superior Strength
- Holds Tighter
- Lubricized®



Flat Head with Nibs Recex® Woodmaster® Thread Robertson® Square / Phillips Combo Drive

	Bulk		1000 Pack		Woodmaster® Jar
Size	Lube	Box QTY	Lube	Lube	
8 x 5/8	BFRW08058R2L-15	15,000	--	--	Full thread
8 x 3/4	BFRW08034R2L-15	15,000	--	--	Full thread
8 x 1	BFRW08100R2L-10	10,000	MFRW08100R2L-6	--	Full thread
8 x 1-1/8	BFRW08118R2L-8	8,000	--	--	
1-1/4	BFRW08114R2L-7.5	7,500	MFRW08114R2L-4	JFRW08114R2L-500-8	
8 x 1-3/8	BFRW08138R2L-5	5,000	--	--	
8 x 1-1/2	BFRW08112R2L-5	5,000	MFRW08112R2L-4	JFRW08112R2L-500-8	
8 x 1-3/4	BFRW08134R2L-4	4,000	MFRW08134R2L-4	--	
8 x 2	BFRW08200R2L-3.5	3,500	MFRW08200R2L-2	JFRW08200R2L-250-8	
8 x 2-1/4	BFRW08214R2L-3	3,000	--	--	
8 x 2-1/2	BFRW08212R2L-2.5	2,500	--	JFRW08212R2L-250-8	
8 x 2-3/4	BFRW08234R2L-2	2,000	--	--	
8 x 3	BFRW08300R2L-1.5	1,500	--	--	

Full thread
Full thread
Full thread

*Additional sizes and finishes may be available. Please contact Customer Service for more info.

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.



CONOVER, NC

630 REESE DR SW,
CONOVER, NC 28613

HAYWARD, CA

2039 AMERICAN AVENUE
HAYWARD, CA 94545

DEERWOOD.COM

SALES@PANAMERICANSCREW.COM | 1-800-951-2222

Scan here to visit our website for more product information!



Flat Head Recex®

Square/Phillips Combo Drive Deep Thread

Flat Head Recex® Deep Thread Type 17 Robertson® Square / Phillips Combo Drive



*Additional sizes and finishes may be available. Please contact Customer Service for more info.

	Bulk	
Size	Lube	Box QTY
6 x 1/2	BFRP06012R1L-15	15,000
6 x 5/8	BFRP06058R2L-15	15,000
6 x 1	BFRP06100R2L-10	10,000
6 x 1-1/4	BFRP06114R2L-8	8,000
6 x 1-1/2	BFRP06112R2L-7	7,000
6 x 1-3/4	BFRP06134R2L-5	5,000
8 x 5/8	BFRP08058R2L-15	15,000
8 x 3/4	BFRP08034R2L-15	15,000
8 x 7/8	BFRP08078R2L-10	10,000
8 x 1	BFRP08100R2L-10	10,000
8 x 1-1/8	BFRP08118R2L-8	8,000
8 x 1-1/4	BFRP08114R2L-7.5	7,500
8 x 1-3/8	BFRP08138R2L-5	5,000
8 x 1-1/2	BFRP08112R2L-5	5,000
8 x 1-3/4	BFRP08134R2L-4	4,000
8 x 2	BFRP08200R2L-3.5	3,500
8 x 2-1/4	BFRP08214R2L-3	3,000
8 x 2-1/2	BFRP08212R2L-2.5	2,500
8 x 2-3/4	BFRP08234R2L-2	2,000
8 x 3	BFRP08300R2L-1.5	1,500
10 x 1	BFRP10100R2L-8	8,000
10 x 1-1/4	BFRP10114R2L-5	5,000
10 x 1-1/2	BFRP10112R2L-4	4,000
10 x 1-3/4	BFRP10134R2L-3	3,000
10 x 2	BFRP10200R2L-2.5	2,500
10 x 2-1/4	BFRP10214R2L-2	2,000
10 x 2-1/2	BFRP10212R2L-2	2,000
10 x 3	BFRP10300R2L-1.5	1,500

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.



CONOVER, NC

630 REESE DR SW,
CONOVER, NC 28613

HAYWARD, CA

2039 AMERICAN AVENUE
HAYWARD, CA 94545

DEERWOOD.COM

SALES@PANAMERICANSCREW.COM | 1-800-951-2222

Scan here to visit our website for more product information!



Flat Head Recex®

Square/Phillips Combo Drive Deep Thread Type 17

Flat Head Recex® Deep Thread Type 17 Robertson® Square / Phillips Combo Drive

Size	Bulk		Drive	Box QTY
	Lube	Zinc		
6 x 1/2	BFRP06012S2L-15	--	#2 Square	15,000
6 x 5/8	BFRP06058S1L-15	--	#1 Square	15,000
6 x 5/8	BFRP06058S2L-15	BFRP06058S2Z-15	#2 Square	15,000
6 x 3/4	BFRP06034S1L-15	--	#1 Square	15,000
6 x 3/4	BFRP06034S2L-15	--	#2 Square	15,000
6 x 1-1/4	BFRP06114S2L-8	--	#2 Square	8,000
6 x 1-1/2	BFRP06112S2L-7	--	#2 Square	7,000

*Additional sizes and finishes may be available. Please contact Customer Service for more info.



Flat Head with Nibs Recex® Deep Thread Type 17 Robertson® Square / Phillips Combo Drive

Size	Bulk			Box QTY	1000 Pack Part Number	
	Lube	Black	Zinc		Black	Zinc
8 x 1	BFRP08100SNL-10	--	--	10,000	--	--
8 x 1	--	BFRP08100SNF-11	BFRP08100SNZ-11	11,000	MFRP08100SNF-6	MFRP08100SNZ-6
8 x 1-1/4	BFRP08114SNL-9	BFRP08114SNF-9	BFRP08114SNZ-9	9,000	MFRP08114SNF-4	MFRP08114SNZ-4
8 x 1-1/2	BFRP08112SNL-7	BFRP08112SNF-7	BFRP08112SNZ-7	7,000	MFRP08112SNF-4	MFRP08112SNZ-4
8 x 1-5/8	--	BFRP08158SNF-5.5	BFRP08158SNZ-5.5	5,500	MFRP08158SNF-4	MFRP08158SNZ-4
8 x 1-3/4	BFRP08134SNL-4.8	BFRP08134SNF-4.8	BFRP08134SNZ-4.8	4,800	MFRP08134SNF-4	MFRP08134SNZ-4
8 x 2	BFRP08200SNL-4	BFRP08200SNF-4	BFRP08200SNZ-4	4,000	MFRP08200SNF-2	MFRP08200SNZ-2
8 x 2-1/4	BFRP08214SNL-3.5	BFRP08214SNF-3.5	BFRP08214SNZ-3.5	3,500	MFRP08214SNF-2	--
8 x 2-1/2	BFRP08212SNL-2.5	BFRP08212SNF-2.5	BFRP08212SNZ-2.5	2,500	MFRP08212SNF-2	MFRP08212SNZ-2
8 x 3	BFRP08300SNL-2	BFRP08300SNF-2	BFRP08300SNZ-2	2,000	MFRP08300SNF-1	MFRP08300SNZ-1
8 x 3-1/2	BFRP08312SNL-1	--	--	1,000	--	--

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.



CONOVER, NC

630 REESE DR SW,
CONOVER, NC 28613

HAYWARD, CA

2039 AMERICAN AVENUE
HAYWARD, CA 94545

DEERWOOD.COM

SALES@PANAMERICANSCREW.COM | 1-800-951-2222

Scan here to visit our website for more product information!



Flat Head Robertson®

Square Drive Twinfast Thread



Flat Head Robertson® Square Drive Full Thread Twinfast Thread

Size	Lube	Bulk		Box QTY
		Black	Zinc	
4 x 1/2	BFSA04012R0L-15	--	--	15,000
5 x 3/4	--	--	BFSA05034R1Z-15	15,000
8 x 2	--	BFSA08200R2F-4	--	4,000
8 x 3	--	BFSA08300R2F-2	--	2,000
12 x 1-1/2	BFSA12112R3L-3	--	--	3,000
12 x 2	BFSA12200R3L-2	--	--	2,000
12 x 2-1/2	BFSA12212R3L-1.5	--	--	1,500
12 x 3	BFSA12300R3L-1	--	--	1,000
12 x 3-1/2	BFSA12312R3L-.8	--	--	800
12 x 4	BFSA12400R3L-.5	--	--	500
14 x 3-1/2	--	--	BFSA14312R3Z-5	500

Tapping thread
Tapping thread

*Additional sizes and finishes may be available. Please contact Customer Service for more info.

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Flat Head Robertson®

Square Drive Full Thread



Robertson® Square Drive Full Lo-Root® Deep Thread

Size	Bulk			Box QTY	1000 Pack	
	Lube	Black	Zinc		Black	Zinc
6 x 1/2	--	--	BFSP06012R2Z-38	38,000	--	--
6 x 5/8	--	--	BFSP06058R2Z-30	30,000	--	MFSP06058R2Z-16
6 x 3/4	--	--	BFSP06034R2Z-24	24,000	--	--
6 x 1	--	--	BFSP06100R2Z-13.5	13,500	--	--
8 x 5/8	BFSP08058R2L-15	BFSP08058R2F-15	--	15,000	--	--
8 x 3/4	BFSP08034R2L-15	BFSP08034R2F-15	--	15,000	--	--
8 x 1	BFSP08100R2L-10	BFSP08100R2F-11	BFSP08100R2Z-11	11,000	MFSP08100R2F-6	MFSP08100R2Z-6

*Additional sizes and finishes may be available. Please contact Customer Service for more info.

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.



CONOVER, NC

630 REESE DR SW,
CONOVER, NC 28613

HAYWARD, CA

2039 AMERICAN AVENUE
HAYWARD, CA 94545

DEERWOOD.COM

SALES@PANAMERICANSCREW.COM | 1-800-951-2222

Scan here to visit our website for more product information!



Flat Head Robertson®

Square Drive 2/3 Thread



Robertson® Square Drive 2/3 Lo-Root® Deep Thread

Size	Bulk			Box QTY	1000 Pack	
	Lube	Black	Zinc		Black	Zinc
8 x 1-1/4	--	BFSP08114R2F-9	BFSP08114R2Z-9	9,000	MFSP08114R2F-4	MFSP08114R2Z-4
8 x 1-1/4	BFSP08114R2L-7.5	--	--	7,500	--	--
8 x 1-1/2	BFSP08112R2L-5	--	--	5,000	--	--
8 x 1-1/2	--	BFSP08112R2F-7	--	7,000	--	--
8 x 1-3/4	BFSP08134R2L-4	BFSP08134R2F-4	BFSP08134R2Z-4	4,000	--	--
8 x 1-5/8	--	BFSP08158R2F-5.5	--	5,500	--	MFSP08158R2Z
8 x 2	--	BFSP08200R2F-3	BFSP08200R2Z-3	3,000	--	--
8 x 2	BFSP08200R2L-3.5	--	--	3,500	MFSP08200R2F-2	--
8 x 2-1/4	--	BFSP08214R2F-4	--	4,000	--	--
8 x 2-1/4	BFSP08214R2L-3	--	--	3,000	--	--
8 x 2-1/2	--	BFSP08212R2F-2.8	--	2,800	--	--
8 x 2-1/2	BFSP08212R2L-2.5	--	--	2,500	--	--
8 x 3	--	BFSP08300R2F-2	--	2,000	--	MFSP08300R2F-1
8 x 3	BFSP08300R2L-1.5	--	--	1,500	--	--
8 x 4	BFSP08400R2L-.8	--	--	800	--	--
10 x 1-1/4	BFSP10114R2L-6	BFSP10114R2F-6	--	6,000	--	--
10 x 1-1/2	--	BFSP10112R2F-5	--	5,000	--	--
10 x 1-1/2	BFSP10112R2L-4	--	--	4,000	--	--
10 x 1-3/4	--	BFSP10134R2F-4	--	4,000	--	--
10 x 2	--	BFSP10200R2F-3.2	--	3,200	--	--
10 x 2	BFSP10200R2L-2.5	--	--	2,500	--	--
10 x 2-1/2	BFSP10212R2L-2	BFSP10212R2F-2	--	2,000	--	--
10 x 3	BFSP10300R2L-1.5	BFSP10300R2F-1.5	--	1,500	--	--
10 x 3-1/2	BFSP10312R2L-1	--	--	1,000	--	--
10 x 4	--	BFSP10400R2F-1	--	1,000	--	--
10 x 4	BFSP10400R2L-.8	--	--	800	--	--

*Additional sizes and finishes may be available. Please contact Customer Service for more info.

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Flat Head Star Drive

Deep Thread Type 17 Stainless Steel



Flat Head with Nibs Star Drive Deep Thread - Type 17 - 305 Stainless Steel

Size	Bulk	Bulk QTY	1 Lb	3 Lb	5 Lb
7 x 1-1/4	114TSEA	8,000	114TSEA1	114TSEA3	--
7 x 1-5/8	158TSEA	5,000	158TSEA1	158TSEA3	--
8 x 2	2TSEA	3,500	2TSEA1	2TSEA3	--
10 x 2-1/2	212TSEA	2,500	212TSEA1	212TSEA3	--
10 x 3	3TSEA	2,000	3TSEA1	3TSEA3	3TSEA5
10 x 3-1/2	312TSEA	1,000	312TSEA1	312TSEA3	--
10 x 4	4TSEA	500	4TSEA1	4TSEA3	--
10 x 5	5TSEA	500	5TSEA1	5TSEA3	--

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Zip Driver

Assembly Screws



Flat Head with Nibs



Type 17 Point



#2 Phillips Drive



- Heat-treated steel for high tensile strength and high shear strength
- Self-countersinking NIBS under the head for faster installation
- Type-17 Point for quicker starting and reduces the need for pre-drilling
- Available with the original Robertson® Square drive or in Phillips or Recex® Square/Phillips combo drive
- Lo Root® coarse threads offer easy driving and maximum hold in soft and man-made materials
- Nibs for better countersinking
- Lube, Black or Zinc Finish

Phillips Drive

Size	Bulk		Box QTY	1000 Pack	
	Black	Zinc		Black	Zinc
8 x 1	BFXP08100SNF-11	BFXP08100SNZ-11	11,000	MFXP08100SNF-6	MFXP08100SNZ-6
8 x 1-1/4	BFXP08114SNF-9	BFXP08114SNZ-9	9,000	MFXP08114SNF-4	MFXP08114SNZ-4
8 x 1-1/2	BFXP08112SNF-7	BFXP08112SNZ-7	7,000	MFXP08112SNF-4	MFXP08112SNZ-4
8 x 1-5/8	BFXP08158SNF-5.5	BFXP08158SNZ-5.5	5,500	MFXP08158SNF-4	MFXP08158SNZ-4
8 x 1-3/4	BFXP08134SNF-4.8	BFXP08134SNZ-4.	4,800	MFXP08134SNF-4	MFXP08134SNZ-4
8 x 2	BFXP08200SNF-4	BFXP08200SNZ -4	4,000	MFXP08200SNF-2	MFXP08200SNZ-2
8 x 2-1/4	BFXP08214SNF-3.5	BFXP08214SNZ-3.5	3,500	MFXP08214SNF-2	MFXP08214SNZ-2
8 x 2-1/2	BFXP08212SNF-2.5	BFXP08212SNZ-2.5	2,500	MFXP08212SNF-2	MFXP08212SNZ-2
8 x 3	BFXP08300SNF-2	BFXP08300SNZ-2	2,000	MFXP08300SNF-1	MFXP08300SNZ-1

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.



CONOVER, NC

630 REESE DR SW,
CONOVER, NC 28613

HAYWARD, CA

2039 AMERICAN AVENUE
HAYWARD, CA 94545

DEERWOOD.COM

SALES@PANAMERICANSCREW.COM | 1-800-951-2222

Scan here to visit our website for more product information!



Zip Driver

Assembly Screws



#2 Robertson® Square Drive




#2 Recex® SQ/PH Combo



Flat Head with Nibs



Type 17 Point



Robertson® Square Drive

Size	Bulk		Box QTY	1000 Pack	
	Black	Zinc		Black	Zinc
8 x 1	BFSP08100SNF-11	BFSP08100SNZ-11	11,000	MFSP08100SNF-6	MFSP08100SNZ-6
8 x 1-1/4	BFSP08114SNF-9	BFSP08114SNZ-9	9,000	MFSP08114SNF-4	MFSP08114SNZ-4
8 x 1-1/2	BFSP08112SNF-7	BFSP08112SNZ-7	7,000	MFSP08112SNF-4	MFSP08112SNZ-4
8 x 1-5/8	BFSP08158SNF-5.5	BFSP08158SNZ-5.5	5,500	MFSP08158SNF-4	MFSP08158SNZ-4
8 x 1-3/4	BFSP08134SNF-4.8	BFSP08134SNZ-4.8	4,800	MFSP08134SNF-4	MFSP08134SNZ-4
8 x 2	BFSP08200SNF-4	BFSP08200SNZ-4	4,000	MFSP08200SNF-2	MFSP08200SNZ-2
8 x 2-1/4	BFSP08214SNF-3.5	BFSP08214SNZ-3.5	3,500	MFSP08214SNF-2	--
8 x 2-1/2	BFSP08212SNF-2.5	BFSP08212SNZ-2.5	2,500	MFSP08212SNF-2	MFSP08212SNZ-2
8 x 3	BFSP08300SNF-2	BFSP08300SNZ-2	2,000	MFSP08300SNF-1	MFSP08300SNZ-1

Recex® Square/Phillips Combo Drive

Size	Bulk			Box QTY	1000 Pack	
	Lube	Black	Zinc		Black	Zinc
8 x 1	BFRP08100SNL-11	BFRP08100SNF-11	BFRP08100SNZ-11	11,000	MFRP08100SNF-6	MFRP08100SNZ-6
8 x 1-1/4	BFRP08114SNL-9	BFRP08114SNF-9	BFRP08114SNZ-9	9,000	MFRP08114SNF-4	MFRP08114SNZ-4
8 x 1-1/2	BFRP08112SNL-7	BFRP08112SNF-7	BFRP08112SNZ-7	7,000	MFRP08112SNF-4	MFRP08112SNZ-4
8 x 1-5/8	--	BFRP08158SNF-5.5	BFRP08158SNZ-5.5	5,500	MFRP08158SNF-4	MFRP08158SNZ-4
8 x 1-3/4	BFRP08134SNL-4.8	BFRP08134SNF-4.8	BFRP08134SNZ-4.8	4,800	MFRP08134SNF-4	--
8 x 2	BFRP08200SNL-4	BFRP08200SNF-4	BFRP08200SNZ-4	4,000	MFRP08200SNF-2	MFRP08200SNZ-2
8 x 2-1/4	BFRP08214SNL-3.5	BFRP08214SNF-3.5	BFRP08214SNZ-3.5	3,500	MFRP08214SNF-2	--
8 x 2-1/2	BFRP08212SNL-2.5	BFRP08212SNF-2.5	BFRP08212SNZ-2.5	2,500	MFRP08212SNF-2	MFRP08212SNZ-2
8 x 3	BFRP08300SNL-2	BFRP08300SNF-2	BFRP08300SNZ-2	2,000	MFRP08300SNF-1	MFRP08300SNZ-1
8 x 3-1/2	BFRP08312SNL-1	--	--	1,000	--	--

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Pan Head Phillips



Pan Head Phillips Deep Thread

Size	Bulk			Box QTY	1000 Pack	
	Zinc	Black	Nickel		Zinc	Nickel
6 x 7/16	BPXP06716R2Z-30	--	--	30,000	MPXP06716R2Z-16	--
6 x 1/2	BPXP06012R2Z-30	--	--	30,000	MPXP06012R2Z-16	--
6 x 5/8	BPXP06058R2Z-25	--	BPXP06058R2N-25	25,000	MPXP06058R2Z-16	--
6 x 3/4	BPXP06034R2Z-18	--	--	18,000	--	--
7 x 1/2	BPXP07012R2Z-15	--	--	15,000	MPXP07012R2Z-16	--
8 x 1/2	BPXP08012R2Z-20	--	--	20,000	MPXP08012R2Z-6	--
8 x 5/8	BPXP08058R2Z-15	BPXP08058R2F-15	--	15,000	MPXP08058R2Z-6	--
8 x 3/4	BPXP08034R2Z-10.5	--	--	10,500	MPXP08034R2Z-4	--
8 x 1	BPXP08100R2Z-9	--	--	9,000	--	--
8 x 1-1/8	BPXP08118R2Z-8	--	--	8,000	--	--
10 x 1/2	BPXP10012R2Z-11	--	--	11,000	--	--
10 x 5/8	--	BPXP10058R2F-10	BPXP10058R2N-10	10,000	--	MPXP10058R2N-4
10 x 3/4	--	BPXP10034R2F-9	BPXP10034R2N-9	9,000	--	MPXP10034R2N-4
10 x 1	--	BPXP10100R2F-7	BPXP10100R2N-7	7,000	--	--



Pan Head Phillips Drive Deep Thread - Type 17

Size	Zinc	Box QTY
6 x 5/8	BPXP06058S2Z-25	25,000
8 X 1	BPXP08100S2Z-9	9,000

Pan Head Phillips Drive Fine Thread

Size	Black	Box QTY
6 x 1-1/4	BPXA06114S2F-10	10,000
8 x 1/2	BPXA08012R2F-15	15,000

Type 17



*Additional sizes and finishes may be available. Please contact Customer Service for more info.

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Pan Head Recex®

Pan Head Recex® - Deep Thread Square\Phillips Combo

Size	Bulk		Box QTY
	Lube	Zinc	
6 x 1/2	BPRP06012R1L-15	--	15,000
6 x 5/8	BPRP06058R1L-15	--	15,000
8 x 5/8	--	BPRP08058R2Z-12	12,000
8 x 3/4	BPRP08034R2L-10	BPRP08034R2Z-10	10,000
10 x 5/8	BPRP10058R2L-8	--	8,000



All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Pan Head Robertson® Square Drive

Pan Head Robertson® Square Drive - Fine Thread



Size	Bulk		Box QTY
	Zinc	Black	
8 x 5/8	BPSA08058R2Z-12	--	12,000
8 x 3/4	BPSA08034R2Z-10	BPSA08034R2F -10	10,000
8 x 1	BPSA08100R2Z-8	--	8,000
8 x 1-1/4	BPSA08114R2Z-6	BPSA08114R2F-6	6,000
8 x 1-3/4	--	BPSA08134R2F-4	4,000
10 x 1	BPSA10100R2Z-6	--	6,000
10 x 1-1/2	BPSA10112R2Z-3	--	3,000
10 x 2	BPSA10200R2Z-2.5	--	2,500

Pan Head Robertson® Square Drive - Deep Thread - Type 17 - Black

Size	Bulk	Box QTY	1000 Pack
7 x 1-1/4	BPSP07114S2F-9	9,000	MPSP07114S2F-4
7 x 1-1/2	BPSP07112S2F-6	6,000	MPSP07112S2F-4



Pan Head Robertson® Square Drive - Fine Thread - Type 17 - Black

Size	Bulk	Box QTY	1000 Pack
6 x 1-1/4	BPSA06114S2F-7.5	7,500	MPSA06114S2F-6
6 x 1-1/2	BPSA06112S2F-6	6,000	MPSA06112S2F-4

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Round Washer

Deep Thread

Round Washers - Deep Thread



#2 Recex® SQ/PH Combo



#2 Robertson® Square Drive



Round Washer Head



Size	Lube	Bulk		Box QTY
		Black	Zinc	
6 x 5/8	BWRP06058R1L-15	--	--	15,000
8 x 1/2	BWRP08012R2L-12	--	--	12,000
8 x 5/8	BWRP08058R2L-12	--	--	12,000
8 x 3/4	BWRP08034R2L-10	--	BWRP08034R2Z-10	10,000
8 x 7/8	BWRP08078R2L-8	--	--	8,000
8 x 1	BWRP08100R2L-8	--	BWRP08100R2Z-8	8,000
8 x 1-1/8	BWRP08118R2L-6	--	BWRP08118R2Z-6	6,000
8 x 1-1/4	BWRP08114R2L-6	BWRP08114R2F-6	BWRP08114R2Z-6	5,000
8 x 1-3/8	BWRP08138R2L-5	--	--	5,000
8 x 1-1/2	BWRP08112R2L-5	--	BWRP08112R2Z-5	5,000
8 x 1-3/4	BWRP08134R2L-4	--	--	4,000
8 x 2	BWRP08200R2L-3	--	BWRP08200R2Z-3	3,000
8 x 2-1/4	BWRP08214R2L-2	--	--	2,000
8 x 2-1/2	BWRP08212R2L-2	--	BWRP08212R2Z-2	2,000
8 x 3	BWRP08300R2L-1.5	BWRP08300R2F-1.5	BWRP08300R2Z-1.5	1,500
8 x 3-1/2	BWRP08312R2L-1	--	--	1,000
8 x 4	BWRP08400R2L-.8	--	--	800
8 x 4 (SQ DRIVE)	BWSP08400R2L-.8	--	--	800
10 x 5/8	BWRP10058R2L-8	BWRP10058R2F-8	--	8,000
10 x 3/4	BWRP10034R2L-8	BWRP10034R2F-8	BWRP10034R2Z-8	8,000
10 x 1	BWRP10100R2L-6	BWRP10100R2F-6	--	6,000
10 x 1-1/4	BWRP10114R2L-5	BWRP10114R2F-5	--	5,000
10 x 1-1/2	BWRP10112R2L-3	BWRP10112R2F-3	--	3,000
10 x 1-3/4	BWRP10134R2L-3	--	--	3,000
10 x 2	BWRP10200R2L-2.5	BWRP10200R2F-2.5	BWRP10200R2Z-2.5	2,500
10 x 2-1/2	BWRP10212R2L-1.5	--	--	1,500
10 x 3	BWRP10300R2L-1	--	--	1,000
10 x 4 (SQ DRIVE)	BWSP10400R2L-.8	--	BWSP10400R2Z-.8	800

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Round Washer

Assembly Screws



**Recex®
SQ/PH Combo**



**Round
Washer
Head**



**Type 17
Point**



Round Washers - Deep Thread - Recex® - Type 17

Size	Bulk			Box QTY
	Lube	Black	Zinc	
8 x 5/8	BWRP08058S2L-12	--	--	12,000
8 x 3/4	BWRP08034S2L-10	--	BWRP08034S2Z-10	10,000
8 x 1	BWRP08100S2L-8	--	BWRP08100S2Z-8	8,000
8 x 1-1/8	BWRP08118S2L-6	--	--	6,000
8 x 1-1/4	BWRP08114S2L-6	BWRP08114F2F-6	--	6,000
8 x 1-1/2	BWRP08112S2L-5	BWRP08112F2F-5	--	5,000
8 x 1-3/4	BWRP08134S2L-4	--	--	4,000
8 x 2	BWRP08200S2L-3	--	--	3,000
8 x 2-1/2	BWRP08212S2L-2	--	BWRP08212S2Z-2	2,000
8 x 3	BWRP08300S2L-1.5	--	BWRP08300S2Z-1.5	1,500



**Robertson®
Square Drive**



**Round
Washer
Head**



**Type 17
Point**



Round Washers - Deep Thread - Robertson® Square Drive - Type 17

Size	Lube	Box QTY
9 X 1-3/4	BWSP09134S2L-4	4,000
9 X 2	BWSP09200S2L-3	3,000
9 X 2-1/4	BWSP09214S2L-2	2,000

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Round Washer

WoodMaster Assembly Screws



Recex®
SQ/PH Combo



Round
Washer
Head

WoodMaster™ Serrated Thread Design

- Quick Starting
- Reduced Splitting
- Less Drive Torque
- Superior Strength
- Holds Tighter
- Lubricized®



Round Washers - Woodmaster - Recex®

Size	Lube	Box QTY
8 x 5/8	BWRW08058R2L-12	12,000
8 x 3/4	BWRW08034R2L-10	10,000
8 x 1	BWRW08100R2L-8	8,000
8 x 1-1/8	BWRW08118R2L-6	6,000
8 x 1-1/4	BWRW08114R2L-6	6,000
8 x 1-3/8	BWRW08138R2L-5	5,000
8 x 1-1/2	BWRW08112R2L-5	5,000
8 x 1-3/4	BWRW08134R2L-4	4,000
8 x 2	BWRW08200R2L-3	3,000
8 x 2-1/4	BWRW08214R2L-2	2,000
8 x 2-1/2	BWRW08212R2L-2	2,000
8 X 2-3/4	BWRW08234R2L-1.5	1,500
8 x 3	BWRW08300R2L-1.5	1,500



Also available in our Jar Program

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Pocket Hole

Face Frame Assembly Screws



Heat-treated steel

- High tensile strength and high shear strength

PocketMaster™

- Comes with an extra long type-17 cutting flute for less splitting, cracking & bursting

Original Robertson® Square drive

- Better bit fit and less slippage

3 Thread Styles

- Fine threads provide easy driving and maximum strength in hardwoods
- Deep threads offer easy driving and maximum hold in soft wood
- Hi-Lo™ threads are designed to be the perfect solution for all applications

Flat Top Pan / Fillister Head

PocketMaster™

Size	Part Number	Thread	Finish	Case QTY	Case #lbs
7 x 1	BLSP07100S2L-10	Coarse	Lubricized	10,000	40 lbs
7 x 1 1/4	BLSP07114X2L-7.5	Coarse	Lubricized	7,500	35 lbs
7 x 1 1/4	MLSP07114X2L-4	Coarse	Lubricized	1,000	5 lbs
7 x 1 1/2	BLSP07112X2L-6	Coarse	Lubricized	6,000	33 lbs
7 x 1 1/2	MLSP07112X2L-4	Coarse	Lubricized	1,000	5 lbs

Size	Part Number	Thread	Finish	Case QTY	Case #lbs
7 X 1-1/4	BLSA07114S2L-7.5	Fine	Lubricized	7,500	37 lbs
7 X 1-1/4	MLSA07114S2L-4	Fine	Lubricized	1,000	5 lbs
7 X 1-1/2	BLSA07112S2L-6	Fine	Lubricized	6,000	35 lbs

Size	Part Number	Thread	Finish	Case QTY	Case #lbs
7 X 1-1/4	BLSH07114S2L-7.5	Hi-Lo™	Lubricized	7,500	37 lbs
7 X 1-1/4	MLSH07114S2L-1	Hi-Lo™	Lubricized	1,000	5 lbs
7 X 1-1/2	BLSH07112S2L-6	Hi-Lo™	Lubricized	6,000	34 lbs
7 X 1-1/2	MLSH07112S2L-1	Hi-Lo™	Lubricized	1,000	6 lbs

Pan Head

Size	Part Number	Thread	Finish	Case QTY	Case #lbs
6 x 1-1/4	BPSA06114S2F-7.5	Fine	Black	7,500	32 lbs
6 x 1-1/4	MPSA06114S2F-6	Fine	Black	1,000	4 lbs
6 x 1-1/2	BPSA06112S2F-6	Fine	Black	6,000	30 lbs
6 x 1-1/2	MPSA06112S2F-4	Fine	Black	1,000	5 lbs

Size	Part Number	Thread	Finish	Case QTY	Case #lbs
7 x 1-1/4	BPSP07114S2F-9	Coarse	Black	9,000	39 lbs
7 x 1-1/4	MPSP07114S2F-4	Coarse	Black	1,000	4 lbs
7 x 1-1/2	BPSP07112S2F-6	Coarse	Black	6,000	30 lbs
7 x 1-1/2	MPSP07112S2F-4	Coarse	Black	1,000	5 lbs

Round Washer Head

Size	Part Number	Thread	Finish	Case QTY	Case #lbs
8 x 1-1/4	BWRP08114F2F-6	Coarse	Black	6,000	38 lbs
8 x 1-1/2	BWRP08112F2F-5	Coarse	Black	5,000	31 lbs

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.



CONOVER, NC

630 REESE DR SW,
CONOVER, NC 28613

HAYWARD, CA

2039 AMERICAN AVENUE
HAYWARD, CA 94545

DEERWOOD.COM

SALES@PANAMERICANSCREW.COM | 1-800-951-2222

Scan here to visit our website for more product information!



Oval Head

Phillips Drive - Deep Thread

	Bulk		1000 Pack
Size	Antique English	Box QTY	Antique English
6 x 5/8	BOXP06058R2E-30	38,000	MOXP06058R2E-16



Phillips Drive - Deep Thread - Painted - 410 Stainless Steel

	Painted Head					
Size	Tan 1	Tan 2	White	Box QTY	Material	Head Size
7 x 9/16	36830KEN99--PC3	36830KEN99--PC5	36830KEN99--PC9	9,000	410 Stainless	#6 Head



All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Trim Head

Assembly Screws



Our Trim Head screws are designed for applications in which the head needs to be as small as possible. These screws resemble finishing nails in both appearance and function. The small head size allows it to be used to discreetly attach moldings and trim to millwork, cabinetry and crafts.



Black Phosphate - Robertson® Square Drive

Size	Bulk	Box QTY	1000 Pack	1 Lb	3 Lb
6 x 1	BVSA06100R1F-12.5	12,500	--	--	--
6 x 1-5/8	BVSA06158R1F-5	5,000	MVSA06158R1F	158TH1	158TH3
6 x 2-1/4	BVSA06214R1F-3	3,000	MVSA06214R1F	214TH1	214TH3
8 x 3	3TH	2,000	--	3TH1	3TH3

Yellow Zinc - Robertson® Square Drive

Size	Bulk	Box QTY	1 Lb	3 Lb
6 x 1-5/8	158GTH	5,000	158GTH1	158GTH3
6 x 2-1/4	214GTH	3,000	214GTH1	214GTH3
8 X 3	3GTH	2,000	3GTH1	3GTH3

Yellow Zinc - Self Drilling - Robertson® Square Drive

Size	Bulk	Box QTY	1 Lb
6 x 1-5/8	158GTHS12	5,000	158GTHS121
6 x 2-1/4	214GTHS12	3,000	214GTHS121
8 X 3	3GTHS12	2,000	3GTHS121

Rustguard Coating (1800 hours salt spray) - Robertson® Square Drive

Size	Bulk	Box QTY	1000 Pack	1 Lb	3 Lb
6 x 1-5/8	158THRG	5,000	158THRG1	158THRG3	158THRG5
6 x 2-1/4	214THRG	3,000	214THRG1	214THRG3	214THRG5
8 X 3	3THRG	2,000	3THRG1	3THRG3	3THRG5

305 Stainless Steel - Star Drive

Size	Bulk	Box QTY	1000 Pack	1 Lb	3 Lb
7 x 1-5/8	158TPAU	5,000	158TPAU1	158TPAU3	--
7 x 2-1/4	214TPAU	3,000	214TPAU1	214TPAU3	--
8 X 3	3TPAU	2,000	3TPAU1	3TPAU3	3TPAU5

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Euro Screws

Our Euro Screws are available in a nickel finish that perfectly matches the “European” hardware used on your projects. These small screws have a Blunt Type B point that allows them to have maximum holding power in a pre-drilled hole. The aggressive deep thread design insures maximum holding power in MDF and Particle board as well as hardwoods.



Flat Head Pozi Drive Euro Screws - Nickel finish



Size	Bulk	Box QTY	5000 Pack	1000 Pack
6.3mm x 10mm	BFPE05100R2N-15	15,000	LFPE05100R2N-2	MFPE05100R2N-10
6.3mm x 11.5mm	BFPE05115R2N-12	12,000	--	MFPE05115R2N-10
6.3mm x 13mm	BFPE05130R2N-10	10,000	LFPE05130R2N-2	MFPE05130R2N-10
6.3mm x 14.5mm	BFPE05145R2N-10	10,000	--	MFPE05145R2N-10
6.3mm x 20mm	BFPE05200R2N-8	8,000	--	--
6.3mm x 25mm	BFPE05250R2N-7	7,000	--	--
6.3mm x 30mm	BFPE05300R2N-6	6,000	--	--

*6.3mm diameter for use with a 5mm hole



Flat Head Phillips Drive Euro Screws - Nickel finish

Size	Bulk	Box QTY	500 Pack
6.3mm x 10mm	BFXE05100R2N-15	15,000	--
6.3mm x 13mm	BFXE05130R2N-10	10,000	DFXE05130R2N-16

*6.3mm diameter for use with a 5mm hole

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Truss Head



Truss Head Phillips - Deep Thread - Zinc

Size	Bulk	Box QTY	1000 Pack	100 Pack
6 x 1/2	BTXP06012R2Z-22	22,000	MTXP06012R2Z-16	CTXP06012R2Z-66
6 x 5/8	BTXP06058R2Z-20	20,000	--	--
8 x 1/2	BTXP08012R2Z-16	16,000	--	--
8 x 1-1/8	BTXP08118R2Z-7	7,000	--	--

Truss Head Phillips - Tapping Type A - Zinc

Size	Bulk	Box QTY
8 x 5/8	BTXA08058R2Z-13.5	13,500



Truss Head Phillips - Deep Thread Type 17 - Zinc



Size	1000 Pack
8 x 3/4	MTXP08034S2Z-6
8 x 3/4	MTXP08034X2Z-4 **
8 x 5/8	MTXP08058S2Z-6

**Extra Long T17



Truss Head Recex® SQ/Phil Combo- Deep Thread

Size	Bulk			Box QTY
	Lube	Black	Zinc	
6 x 3/8	BTRP06038R2L-15	--	--	15,000
6 x 1/2	BTRP06012R2L-15	BTRP06012R2F-15	BTRP06012R2Z-15	15,000
6 x 5/8	BTRP06058R2L-15	BTRP06058R2F-15	BTRP06058R2Z-15	15,000
6 x 3/4	--	BTRP06034R2F-15	--	15,000
8 x 3/4	--	--	BTRP08034X2Z-12**	12,000

**Extra Long T17

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Truss Head

Cabinet Installation

Truss Head #3 Phillips - Deep Thread

Size	Bulk			Box QTY
	Zinc	White	Sand	
10 x 2-1/2	BTXP10212R3Z-2	BTXP10212R3C-2	BTXP10212R3D-2	2,000
10 x 3	BTXP10300R3Z-1.5	BTXP10300R3C-1.5	BTXP10300R3D-1.5	1,500



Truss Head #3 Phillips - Self Drilling

Size	Bulk			Box QTY
	Zinc	White	Sand	
10 x 2-1/2	BTXF10212D3Z-2	BTXF10212D3C-2	BTXF10212D3D-2	2,000



All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Modified Truss

Phillips Drive - Type 17 Point - Zinc

Size	Bulk #	Box QTY	1 Pound	3 Pound
8 X 1/2	12F	10,000	12F1	12F3
8 X 3/4	34F	8,000	34F1	34F3
8 X 1	1F	5,000	1F1	1F3
8 X 1-1/4	114F	5,000	114F1	114F3
8 X 1-5/8	158F	4,000	158F1	158F3
8 X 2	2F	3,000	2F1	2F3
8 X 3	3F	2,000	3F1	3F3



Phillips Drive - Type 17 Point - Nickel

Size	Bulk #	Box QTY	1000 Pack	100 Pack
8 X 3/4	BMXP08034S2N-8	8,000	MMXP08034S2N-6	CMXP08034S2N-66

Phillips Drive - Tapping - Zinc

Size	Bulk #	Box QTY	5000 Pack	1000 Pack	100 Pack
8 X 7/16	BMXA08716R2Z-14	8,000	--	MMXA08716R2Z-16	CMXA08716R2Z-66
8 X 1/2	BMXA08012R2Z-16	16,000	LMXA08012R2Z-2	MMXA08012R2Z-6	CMXA08012R2Z-66



Phillips Drive - Self-Drilling - Zinc

Size	Bulk #	Box QTY	1 Pound	3 Pound
8 X 1/2	12FT	10,000	12FT1	12FT3
8 X 3/4	34FT	10,000	34FT1	34FT3
8 X 1	1FT	5,000	1FT1	1FT3
8 X 1-1/4	114FT	5,000	114FT1	114FT3
8 X 1-5/8	158FT	4,000	158FT1	158FT3
8 X 2	2FT	2,000	2FT1	2FT3
8 X 3	3F	2,000	3F1	3F3

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Modified Truss



Phillips Drive - Zinc

Size	Bulk				Box QTY	75 Piece Count Jar			
	Zinc	White	Tan	Brown		Zinc	White	Tan	Brown
8 X 1/2	MTS812	--	--	--	10,000	--	--	--	--
8 X 3/4	MTS834	MTS834W	MTS834T	MTS834B	8,000	1MTS834	1MTS834W	1MTS834T	1MTS834B
8 X 1	MTS81	MTS81W	MTS81T	MTS81B	5,000	1MTS81	1MTS81W	1MTS81T	1MTS81B
8 X 1-1/4	MTS8114	MTS8114W	MTS8114T	MTS8114B	5,000	1MTS8114	1MTS8114W	1MTS8114T	1MTS8114B
8 X 1-5/8	MTS8158	MTS8158W	MTS8158T	MTS8158B	4,000	1MTS8158	1MTS8158W	1MTS8158T	1MTS8158B
8 x 1-7/8	MTS8178	--	--	--	2,500	--	--	--	--
8 x 2-1/2	MTS8212	--	--	--	2,000	--	--	--	--
8 x 3	MTS83	--	--	--	1,500	--	--	--	--

Phillips Drive - Self-Drilling - Zinc

Size	Bulk #	Box QTY	1 Pound
8 X 1/2	MTD812	10,000	1MTD812
8 X 3/4	MTD834	8,000	1MTD834
8 X 1	MTD812	5,000	1MTD812
8 X 1-1/4	MTD8114	5,000	1MTD8114
8 X 1-5/8	MTD8158	4,000	1MTD8158
8 x 1-7/8	MTD8178	2,500	--
8 x 2-1/2	MTD8212	2,000	--



All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.



Drawer Front Adjustment

Modified Truss Screws

- Extra Large 1/2" OD Washer Head for increased bearing surface and maximum hole coverage
- Type-17 cutting flute for less splitting, cracking & bursting
- Deep Threads offer easy Driving and maximum hold in soft woods and man-made materials.
- Heat-treated steel for high tensile strength and high shear strength

1/2" OD Head - Phillips Drive Type 17 Point - 1/2 Thread - Zinc




Size	Bulk	Box QTY	1000 Pack
8 x 7/8	BMXP08078S2Z-8	8,000	--
8 x 1	BMXP08100S2Z-7	7,000	MMXP08100S2Z-4
8 x 1-1/8	BMXP08118S2Z-6.5	6,500	MMXP08118S2Z-4
8 x 1-1/4	BMXP08114S2Z-6.5	6,500	MMXP08114S2Z-4
8 x 1-1/2	BMXP08112S2Z-5	5,000	MMXP08112S2Z-2

1/2" OD Head - Recex® (SQ/Phil Combo) Drive Type 17 Point - 1/2 Thread - Zinc



Size	Bulk	Box QTY	1000 Pack
8 x 1	BMRP08100S2Z-7	7,000	MMRP08100S2Z-4
8 x 1-1/8	BMRP08118S2Z-6.5	6,500	MMRP08118S2Z-4
8 x 1-1/4	BMRP08114S2Z-6.5	6,500	MMRP08114S2Z-4
8 x 1-1/2	BMRP08112S2Z-5	5,000	--



1. Drill oversize 5/16" hole in the drawer box.
2. Attach drawer front.
3. Adjust drawer front.
4. Affix drawer front with knob or pull screws.

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Machine Screws

Truss Head Machine Screws - 8-32 - Phillips/Slot Recess

Size	Bulk #	Box QTY	1000 Pack	100 Pack
8-32 x 5/8	BTCM0832058Z-12	12,000	--	--
8-32 x 3/4	BTCM0832034Z-10	10,000	MTCM0832034Z-4	CTCM0832034Z-18
8-32 x 7/8	BTCM0832078Z-8.5	8,500	MTCM0832078Z-4	CTCM0832078Z-18
8-32 x 1	BTCM0832100Z-7.5	7,500	MTCM0832100Z-4	CTCM0832100Z-18
8-32 x 1-1/8	BTCM0832118Z-6.5	6,500	MTCM0832118Z-4	CTCM0832118Z-18
8-32 x 1-1/4	BTCM0832114Z-5.5	5,500	MTCM0832114Z-4	CTCM0832114Z-18
8-32 x 1-3/8	BTCM0832138Z-5	5,000	MTCM0832138Z-2	CTCM0832138Z-18
8-32 x 1-1/2	BTCM0832112Z-4.5	4,500	MTCM0832112Z-2	CTCM0832112Z-18
8-32 x 1-5/8	BTCM0832158Z-4	4,000	MTCM0832158Z-2	CTCM0832158Z-18
8-32 x 1-3/4	BTCM0832134Z-4	4,000	MTCM0832134Z-2	CTCM0832134Z-18
8-32 x 2	BTCM0832200Z-3.2	3,200	MTCM0832200Z-2	CTCM0832200Z-16



Break-Away Truss Head Machine Screws

Size	Break Points	Bulk #	Box QTY	1000 Pack	100 Pack
8-32 x 1-3/4	3/4, 1, 1-1/4, 1-1/2"	BTCB0832134Z-4	4,000	MTCB0832134Z-2	CTCB0832134Z-18
M4 x 45MM	19, 25, 32, 38mm	BTCBM4X4500Z-4	4,000	MTCBM4X4500Z-2	CTCBM4X4500Z-2



All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Woodmaster Jar Display



Each jar includes a FREE bit

Woodmaster Jars

Size	Head Style	Part #	Jar QTY
7 x 1-1/4	Fillister / Flat Top Pan	JLSP07114X2L-500-8	500
7 x 1-1/2	Fillister / Flat Top Pan	JLSP07112X2L-500-8	500
8 x 1-1/4	Flat with Nibs	JFRW08114R2L-500-8	500
8 x 1-1/2	Flat with Nibs	JFRW08112R2L-500-8	500
8 x 2	Flat with Nibs	JFRW08200R2L-250-8	250
8 x 2-1/2	Flat with Nibs	JFRW08212R2L-250-8	250
8 x 1-1/4	Round Washer	JWRW08114R2L-500-8	500
8 x 1-1/2	Round Washer	JWRW08112R2L-500-8	500
8 x 3	Round Washer	JWRW08300R2L-125-8	125



The WOODMASTER® Advantage

For Woodworking Applications

- Wood Assembly
- Cabinet Installation
- Pocket Hole/Face Frame
- Countertops

Free Driver Bit in Every Jar!

Woodmaster® Serrated Thread Design

- Quick Starting
- Reduced Splitting
- Less Drive Torque
- Superior Strength
- Holds Tighter
- Lubricized*

Round Washer Head Screw

Flat Head Screw with Countersinking Nibs

Pocketmaster® Face Frame/Pocket Hole Screw with Type 17 Point

Recex® Square/Phillips Combination Drive

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



RTA / Confirmat Screws

For Knock-Down (KD) or Ready-To-Assemble (RTA) applications



Flat Head Pozi Drive

With Cap Cover Hole

Size	Part #	Box QTY
5 x 40mm	BKFP05400H2Z-4	4,000
7 x 50mm	BKFP07500H3Z-2	2,000



Flat Head with NIBS Pozi Drive

With Cap Cover Hole

Size	Part #	Bulk QTY
7 x 50mm	BKFP07500HNZ-2	2,000



Step Drill Bit


5-7-10mm Steps

Size	Part #
5-7-10 x 141MM	TSD5710X141S




Flat Head with NIBS Pozi Drive Without Cap Cover Hole

Size	Part #	Box QTY
7 x 50mm	BKFP07500RNZ-2	2,000



For "extra firm" standard cabinet or furniture construction.

Special long-stem cover cap holds firmly in screws with drilled heads.




All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Countertop Connecting Bolts



Hex Head Draw Bolts - Zinc

Size	Part #	Box QTY
1/4-20 x 3-1/2	VD1/4-20X312-.5	500
1/4-20 x 4	VD1/4-20X4-.5	500



ZIP BOLT - Zinc

Size	Part #	Box QTY
3-1/2	ZIPBOLT	60pcs/pack - 6 packs/box



ZIP BOLT - Install Bit

Size	Part #	Pack QTY
4MM x 50MM	TBH4MMX50MMWS	10

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Finishing Cup Washers



Size	Part #	Finish	Box QTY
No. 8	MCUPN8XXXXXF	Black	1,000
No. 8	MCUPN8XXXXXZ	Zinc	1,000
No. 8	MCUPN8XXXXXN	Nickel	1,000

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Driver Bits

One Piece

One Piece Phillips Driver Bits

Size	Part #	Pack QTY
#1 x 1	TBX100X100WS	10
#2 x 1	TBX200X100WS	10
#2 x 2	TBX200X200WS	10
#2 x 2-3/4	TBX200X234WS	10
#2 x 4-1/2	TBX200X412WS	10
#2 x 6	TBX200X600WS	10
#3 x 2	TBX300X200WS	10



One Piece Pozi Drive Bits

Size	Part #	Pack QTY
#1 x 1	TBP100X100TS	10
#2 x 1	TBP200X100TS	10
#2 x 2	TBP200X200TS	10
#3 x 1	TBP300X100TS	10



One Piece Square Drive Bits

Size	Part #	Pack QTY
#1 x 1	TBS100X100TS	10
#2 x 1	TBS200X100TS	10
#2 x 2	TBS200X200TS	10
#2 x 2-3/4	TBS200X234TS	10
#2 x 4-1/2	TBS200X412TS	10
#2 x 6	TBS200X600TS	10



One Piece Double Ended Bits

Size	Part #	Drive	Pack QTY
#2 x 2-1/2	TBS200X212DD	Square/Square	10
#2 x 3-1/2	TBS200X312DD	Square/Square	10
#2 x 3-1/2	TBX200X312WD	Phillips/Phillips	10

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Driver Bits

Two Piece Robertson® Drive Bits



Genuine Robertson® 2 Piece Square Drive Bits

Size	Part #	Pack QTY
#0 x 1	7200144110040007	100
#0 x 3	7200144000800007	50
#1 x 1	7200144110050007	100
#1 x 2	7200144000510007	100
#1 x 3	7200144000810007	50
#1 x 4	7200144001010007	50
#1 x 6	7200144001410007	50
#2 x 1	7200144110060007	100
#2 x 2	7200144000520007	100
#2 x 3	7200144000820007	50
#2 x 4	7200144001020007	50
#2 x 6	7200144001420007	50
#3 x 1	7200144110070007	100
#3 x 2	7200144000530007	100
#3 x 3	7200144000830007	50
#3 x 4	7200144001030007	50
#3 x 6	7200144001430007	50



Color Coded Genuine Robertson® 2 Piece Square Drive Bits

Size	Part #	Color
#0 x 1	720014411004HY07	Yellow
#0 x 2	720014400050HY07	Yellow
#0 x 3	720014400080HY07	Yellow
#1 x 1	720014411005HG07	Green
#1 x 2	720014400051HG07	Green
#1 x 3	720014400081HG07	Green
#1 x 4	720014400101HG07	Green
#2 x 1	720014411006HR07	Red
#2 x 2	720014400052HR07	Red
#2 x 3	720014400082HR07	Red
#2 x 4	720014400102HR07	Red
#2 x 6	720014400142HR07	Red

Undersized Genuine Robertson® 2 Piece Square Drive Bits

Designed to be used with coated screws*

Size	Part #	Pack QTY
#2 x 1	7200164110060407	100
#2 x 2	7200164000520407	100
#2 x 3	7200164000820407	50
#2 x 4	7200164001020407	50
#2 x 6	7200164001420407	50

*Exterior coated screws can sometimes have smaller recesses due to the coating. These bits are designed to be slightly undersized to accommodate the coating.

All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.



Hand Drivers & Bit Holders

Genuine Robertson® Square Drive Hand Drive

Size	Part #	Drive	Pack QTY
#1 x 3	7200143000810438	#1 Square	1
#1 x 5-1/8	7200143211270417	#1 Square	1
#1 x 7-1/2	7200143201710438	#1 Square	1
#1 x 10	7200143302110438	#1 Square	1
#2 x 3	7200143000820438	#2 Square	1
#2 x 5-1/8	7200143212270417	#2 Square	1
#2 x 7-1/2	7200143201720438	#2 Square	1
#2 x 10	7200143302120438	#2 Square	1
#3 x 7-1/2	7200143201730438	#3 Square	1
#3 x 10	7200143302130438	#3 Square	1



Multi Bit Hand Driver

Part #	Description	Pack QTY
DWMULBITDRIV	6 IN 1 MULTI BIT SCREWDRIVER	1



Magnetic Bit Holder

Part #	Description	Pack QTY
TH MAGBITHTS	3" Magnetic Bit Holder for 1" Inserts	1



Quick Release Bit Holder

Part #	Description	Pack QTY
TH MAGBITDBL	2-1/4" Quick Release Magnetic Bit Holder	1



All test results and recommendations are based on laboratory tests. Specific job site conditions should be taken into consideration when specifying the proper fastener. Actual field values may vary, therefore we assume no liability for use of this information. Pull out values are a measurement of wood material strength.

Scan here to visit our website for more product information!



Take a Factory Tour...Step by Step

We've been manufacturers of quality fasteners since 1908

1



We begin the manufacturing process with high quality carbon steel or stainless steel wire.

2



Each coil of wire is traced by lot number to ensure quality from start to finish.



3



The wire coils are fed into a heading machine that forms the head style, recess and cuts the headed blank to the proper length.

4



The unhardened carbon steel or stainless steel wire is fed through the header machine and the wire is forced, using multiple blows, into heading dies that form the head style and recess.

Scan here to visit our website for more product information!



5 Headers are lined up together so one operator can manage several machines at once. Operators continually check head dimensions, recess depth, blank length, etc. and compare these measurements to the drawing specifications to insure the fasteners are within specification.



6 The headed blanks are fed from an overhead tote into a feeder bowl that supplies the threading machines.



7 Now we thread the headed blanks. Headed blanks are fed through a vibrating hopper and down a feeder rail to line them up to be threaded.



8 The hoses shown are to ventilate the smoke and cooling oil fumes out of the factory to provide a safer working environment.



9 Threading dies are made to our exacting specifications. Each one is a matching set.



10 The headed blanks are fed down a feeder rail and lined up to accept the threading dies. One threading die remains stationary while the other is pushed forward by the machine to roll the thread onto the headed blank and form the point of the screw.



11 The threaded and headed parts are now fed into a tote and are ready to be sent to heat treat. The only other operation that may be needed now is to send these unhardened parts to the shank slot machine to have a Type-17 cutter point cut into them.



12 After heat treating many of our screws are plated with a decorative plating or plated with yellow zinc dichromate and then coated with a special coating process that provides excellent corrosion resistant properties.



13 Our quality control department constantly tests the fasteners for drive torque, breaking torque, driver bit fit, bend and yield, salt spray hours, etc. to ensure our customers receive the highest quality fasteners available.



Scan here to visit
our website for more
product information!



Now that you have discovered “The Deerwood Difference”...

Take a few minutes to review what our other companies have to offer.

Please contact your Deerwood customer service representative to learn more about these additional products available to you.



Pan American Screw founded in 1957 as a US division of Robertson, Inc. of Canada. We specialize in fasteners for the woodworking industry, construction industry and window and door industry.



Deerwood Fasteners has been a leader in the kitchen cabinet and furniture industry since 1972. They offer a wide variety of fasteners for the woodworking and institutional furniture industry. Deerwood also offers a complete packaged fastener program.



Sure Drive USA founded in 1976 specializes in construction fasteners sold through wholesale distribution, lumberyards and OEM direct. A wide variety of fasteners from decking screws to hidden deck fastener systems are sold nationwide. A lot of our products are private labeled for our customers.



Co-Op Screw is a key supplier to the window and door manufacturing industry. We specialize in 410 and 18-8 stainless steel fasteners and offer specialty thread styles designed for vinyl and wood window assembly applications. Co-Op was founded in 1976 and became part of our group in 2010.



Atlas Bolt & Screw- The industry leader Pre-Engineered, Steel Component and Post Frame construction fasteners. Manufacturing facilities in China and USA with distribution centers in Ashland, OH, Flat Rock, NC, Houston, TX and Salem, OR to support large fabricators and roll formers across the US and Canada.



Western Builders Supply- Big Timber™ construction fasteners sold exclusively to lumber yards, home centers and farm and ranch stores throughout the US. Our complete line of star drive general construction and structural lag screws are known throughout the industry for their high quality fasteners and competitive pricing structures. Headquartered in Billings, MT they became part of the Pan American family in June 2015.



Tenn-Tex Plastics, Inc. is a leading manufacturer of high-quality injection-molded plastic parts focusing on product development and customer service. Tenn-Tex Plastics specializes in furniture, kitchen & bath cabinetry, and hardware distribution markets. Their products include specialty drawer slide brackets, a patented QuikTRAY Rollout System, Shelf Clips, Shelf Supports, Institutional Shelf Supports, Corner Braces, Glue Blocks, False Front Clips, Glass Door Retainers, Slide Brackets for Undermount and Side Mount Slides, Brackets for Ball Bearing Slides, Cover Caps, Shipping Clips, Spacers, Inset brackets, Toe Kick Endcaps, Paint Caps, Furniture Glides and much more.



CONOVER, NC

630 REESE DR SW,
CONOVER, NC 28613


HAYWARD, CA

2039 AMERICAN AVENUE
HAYWARD, CA 94545

DEERWOOD.COM

SALES@PANAMERICANSCREW.COM | 1-800-951-2222

Scan here to visit
our website for more
product information!



2025 DEERWOOD SALES TEAMS

1. MarJon & Associates, Inc.
7497 NW 14th Terrace
Parkland, FL 33076
Tel: 954-575-2112
Email: marjonjohn@aol.com
States: FL

2. Bair Marketing, Inc.
P.O. Box 1923
Lenoir, NC 28645
Tel: 828-758-9647
Email: sales@bairmarketing.com
Website: www.bairmarketing.com
States: S VA, NC, SC, TN

3. R & S Sales
301 Warren Ave
Baltimore, MD 21230
Tel: 267-733-5804
Email: charles@rsslsalesandmarketing.com
States: E PA, DE, S NJ, MD, N VA, DC

4. Componex-NY
Ossining, NY 10562
Tel: 914-643-6189
Email: bobsquirrel@componex-ny.com
States: E NY, CT, N NJ

5. Peter Thornton Sales
Hampstead, NH 03826
Tel: 603-702-8027
Email: pete@peterthorntonsales.com
Website: www.peterthorntonsales.com
States: ME, NH, VT, MA, RI, W NY

6. SDC Sales & Consulting
2035 Daves Road
Morganton, GA 30560
Tel: 404-444-8039
Email: steve.ducker@sdcsalesinc.com
States: MS, AL, GA

7. C B Sales
Saugatuck, MI 49453
Tel: 810-444-2533
Email: cbsales@cbsales.com
Website: www.cbsales.com
States: W MI, IN

8. Triax Marketing & Sales
Hudson, OH 44236
Tel: 330-301-2000
Email: david@triaxsales.com
Website: www.triaxsales.com
States: E MI, OH, KY, W VA, W PA

9. Resolute Sales
N 7630 West Bend Road
Theresa, WI 53091
Tel: 414-378-0537
Email: wriebau@resolutesales.com
Website: resolutesales.com
States: IL

10. The Blackburn Company
12975 16th Ave N
Plymouth, MN 55441
Tel: 952-934-0104
Email: info@theblackburnco.com
States: WI, MN, ND, SD, NE, IA

11. Central Components Group
7123 Hwy 47 South
Union, MO 63084
Tel: 314-640-3464
Email: kdunn.ccg@gmail.com
States: KS, MO

12. Horseshoe Wood, Inc.
2044 Briarcliff Road
Lewisville, TX 75067
Tel: 972-484-5162
Email: george@horseshoewood.com
Website: www.horseshoewood.com
States: OK, AR, TX, LA

13. Brunt Sales, LLP
375 Fafnir Dr
Kimberly, ID 83341
Tel: 208-280-2094
Email: garner.blake@gmail.com
States: ID, CO, UT, NM, WY

14. Open PNW, AK and HI
Call our office: 800-438-5146

15. J-Swis Sales & Marketing, Inc.
Santa Cruz, CA 95060
Tel: 559-906-9674
Email: jeffswisherjr@gmail.com
Website: www.jswis-sales.com
States: N CA, NV

16. Borg Industrial Sales
30054 Red Barn Pl
Canyon Lake, CA 92587
Tel: 951-553-1818
Email: borgindustrial@gmail.com
States: S CA, AZ



CONOVER, NC

630 REESE DR SW,
CONOVER, NC 28613

HAYWARD, CA

2039 AMERICAN AVENUE
HAYWARD, CA 94545

DEERWOOD.COM

SALES@PANAMERICANSCREW.COM | 1-800-951-2222



Scan here
to visit our
website for
more product
information!



DEERWOOD

F A S T E N E R S

Get in Touch.

CONOVER, NC

630 REESE DR SW,
CONOVER, NC 28613

HAYWARD, CA

2039 AMERICAN AVENUE
HAYWARD, CA 94545

SALES@PANAMERICANSCREW.COM | DEERWOOD.COM | 1-800-951-2222

Deerwood Fasteners is available by phone Monday through Friday 8:00 AM to 5:00 PM EST at the toll free number above and we promise to answer your emails the same day whenever possible. We look forward to assisting you soon.

Proudly Supplied By

RUGBY[®]

Architectural Building Products

1-855-650-3265 | www.rugbyabp.com