



As individual as you:
AvanTech YOU drawer system



Technik für Möbel


Hettich

AvanTech YOU double walled drawer system



As individual as you – AvanTech YOU

The new AvanTech YOU drawer system scores from design diversity and creative flexibility, from concealed working parts and perfect performance as well as from an efficient product concept geared to the customer.

Design distinctive drawers: the AvanTech YOU drawer is distinguished by immaculate beauty from its slimline and sleek 13 mm drawer side profile. And by the ability to turn personal ideas into reality every time.

Get a variety of clever functions: one drawer, two runners and numerous user friendly functions. Flexibly combinable with each other by using one and the same drilling pattern.

Efficient and cost effective production: the comprehensive platform concept and perfect product adjustments to production and assembly processes guarantee cost effectiveness and efficient work flows while at the same time providing the basis for a broad product lineup.



hettich.com/short/a07bc8


Design diversity and creative flexibility: different shapes, colours and materials consistently continue furniture design on the inside too.

Many different options for customisation: creative design flexibility in every detail. Attractive highlights are added with design profiles and DesignCapes.

Precision designed furniture: AvanTech YOU competently combines technology, functionality and performance to suit any preference.

Find out more: You can get inspiration and further product details on our website.

► Summary



AvanTech YOU

- Range summary 4 - 5
- Exploded drawing 6
- Overview of components 7



AvanTech YOU drawer

- Height 77 mm 8 - 9
- Height 101 mm 10 - 13
- Height 139 mm 14 - 15



AvanTech YOU pot-and-pan drawer

- Height 187 mm 16 - 19
 - Height 251 mm 20 - 21
- AvanTech YOU Inlay pot-and-pan drawer
- Height 187 mm 22 - 23



AvanTech YOU

- Rear panels 24 - 25
- Front for internal drawers / pull-outs 26 - 29



AvanTech YOU design elements / other accessories

- Design elements 31 - 32
- Other accessories 33 - 35
- Interior organisation, range summary 48 - 49



Complementary products

- Waste collecting systems 62 - 63
- Assembly aids 65



AvanTech YOU drawer runners

- Actro YOU 36 - 37
- Push to open Silent for Actro YOU 38 - 39
- Quadro YOU 40 - 41
- Push to open Silent for Quadro YOU 42 - 43



Hettich Technical Assistant

- Installation / Adjustment
 - Service
- Quality criteria

AvanTech YOU double walled drawer system

- ▶ Range summary
- ▶ Powder coated steel, white / anthracite



Drawer, height 77 mm

8 - 9



Drawer, height 101 mm

10 - 13



Drawer, height 139 mm

14 - 15



Pot-and-pan drawer, height 187 mm

16 - 19



Pot-and-pan drawer, height 251 mm

20 - 21




Inlay pot-and-pan drawer, height 187 mm

22 - 23



Rear panels

24 - 25



Internal drawer, height 101 / 139 mm,
internal pot-and-pan drawer, height 187 mm

26 - 29



Design options

31 - 32



Other accessories

33



Actro YOU / Quadro YOU drawer runners

36 - 37, 40 - 41



Push to open Silent

38 - 39, 42 - 43

AvanTech YOU double walled drawer system

▶ Range summary

▶ Powder coated steel, white / anthracite



Narrow base unit

44



Tall unit

45



Larder unit

46



Interior organisation

49



Waste collecting systems

62 - 63



Assembly aids


65

AvanTech YOU double walled drawer system

► Exploded drawing / Overview of components



Exploded diagram



AvanTech YOU double walled drawer system

► Exploded drawing / Overview of components

AvanTech YOU system components

Basic components

1 Drawer side profile, left and right

... **1 A** AvanTech YOU or

... **1 B** AvanTech YOU Inlay

2 Design profiles for top side of AvanTech YOU drawer side profile

A Front panel, see front panel options

3 Front connectors, left and right

... **3 A** for AvanTech YOU or

... **3 B** for AvanTech YOU Inlay

4 A / **4 B** Stabiliser for front panel / internal front panel

C Rear panel, see rear panel options

5 Rear panel stabiliser

Front panel options

A Front panel

6 Front panel for internal drawer / internal pot-and-pan drawer

7 Customisable front panel for internal drawer / internal pot-and-pan drawer

Rear panel options

C Wooden rear panel

8 Rear panel connector, left and right

9 Rear panel profile for cutting to length

Design options

2 A / **2 B** / **2 C** Design profile in drawer side profile colour / foil wrapped / customisable

12 DesignCape

13 Branding clip

Drawer runners

11 A Actro YOU full extension runner

11 B / **11 C** Quadro YOU full extension runner

Wooden elements cut to size

A Front panel

B Bottom panel

C Wooden rear panel

D AvanTech YOU Inlay - insert in any chosen material

E Customisable internal front panel - insert in any chosen material




AvanTech YOU double walled drawer system

- ▶ Drawer height 77 mm
- ▶ Powder coated steel, white / anthracite



1 Drawer side profile set, height 77 mm



- ▶ Integrated vertical, lateral and tilt adjustment
- ▶ Steel, powder coated

Set comprises:

- ▶ 1 1 drawer side profile, left and right
- ▶ 2 2 design profiles in drawer side profile colour
- ▶ 3 2 drawer front connectors for screwing on
- ▶ 5 2 rear panel stabilisers
- ▶ Fixing material

Note:

- ▶ For design options, see pages 31 - 32

Nominal length mm	Order no. / surface finish		PU
	white	anthracite	
500	9 255 282	9 255 322	1 set

5 Rear panel stabiliser



- ▶ For wooden rear panel, height 77 mm
- ▶ 1 each for cabinet body width ≥ 600 mm; 2 each for ≥ 800 mm; 3 each = 1200 mm
- ▶ Steel


Order no.	PU
0 079 665	100 ea.

AvanTech YOU double walled drawer system

- ▶ Drawer height 101 mm
- ▶ Powder coated steel, white / anthracite



1 Drawer side profile set, height 101 mm



- ▶ Integrated vertical, lateral and tilt adjustment
- ▶ Steel, powder coated

Set comprises:

- ▶ 1 1 drawer side profile, left and right
- ▶ 2 2 design profiles in drawer side profile colour
- ▶ 3 2 drawer front connectors for screwing on
- ▶ 5 2 rear panel stabilisers
- ▶ Fixing material

Note:

- ▶ For design options, see pages 31 - 32

Nominal length mm	Order no. / surface finish		PU
	white	anthracite	
270	9 255 284	9 255 324	1 set
300	9 255 285	9 255 325	1 set
350	9 255 286	9 255 326	1 set
600	9 255 291	9 255 331	1 set
650	9 255 292	9 255 332	1 set

5 Rear panel stabiliser



- ▶ For wooden and aluminium rear panels
- ▶ 1 for cabinet body width ≥ 600 mm; 2 each ≥ 800 mm; 3 each = 1200 mm
- ▶ Plastic

Order no.	PU
9 257 702	200 ea.

AvanTech YOU double walled drawer system

- ▶ Drawer height 101 mm
- ▶ Powder coated steel, white / anthracite



1 A Drawer side profile, height 101 mm



- ▶ **2 A / B / C** Design profile must be ordered separately
- ▶ **3 A** Drawer front connector must be ordered separately
- ▶ **12** DesignCape can be ordered separately
- ▶ Integrated vertical, lateral, depth and tilt adjustment
- ▶ Powder coated steel

Nominal length mm	Order no. / surface finish / mounting side				PU
	white		anthracite		
	left	right	left	right	
400	9 255 094	9 255 095	9 255 174	9 255 175	20 ea.
450	9 255 096	9 255 097	9 255 176	9 255 177	20 ea.
500	9 255 098	9 255 099	9 255 178	9 255 179	20 ea.
550	9 255 100	9 255 101	9 255 180	9 255 181	20 ea.

2 A Design profile in frame colour




- ▶ Any chosen top edge for drawer side profile
- ▶ For clipping on
- ▶ Plastic, solid coloured

Nominal length mm	Order no. / surface finish		PU
	white	anthracite	
270	9 255 813	9 255 822	200 ea.
300	9 255 814	9 255 823	200 ea.
350	9 255 815	9 255 824	200 ea.
400	9 255 816	9 255 825	200 ea.
450	9 255 817	9 255 826	200 ea.
500	9 255 818	9 255 827	200 ea.
550	9 255 819	9 255 828	200 ea.
600	9 255 820	9 255 829	200 ea.
650	9 255 821	9 255 830	200 ea.

AvanTech YOU double walled drawer system

- ▶ Drawer height 101 mm
- ▶ Powder coated steel, white / anthracite

3 A Drawer front connector for drawer side profile, height 101 mm



- ▶ For screwing on or knocking in
- ▶ Steel

Mounting option	Order no.	PU
for screwing on	9 255 835	200 ea.
for knocking in	9 255 836	200 ea.

5 Rear panel stabiliser



- ▶ For wooden and aluminium rear panels
- ▶ 1 each for ≥ 600 mm cabinet width;
- ▶ 2 each ≥ 800 mm;
- ▶ 3 each = 1200 mm;
- ▶ Plastic

Order no.	PU
9 257 702	200 ea.

Information

▶ Rear panel options	24 - 25	▶ Actro YOU / Quadro YOU drawer runners	36 - 37, 40 - 41
▶ Internal front panel options	26 - 29	▶ Push to open Silent	38 - 39, 42 - 43
▶ Design options	31 - 32	▶ Quality criteria	47
▶ Technical accessories	34 - 35		

AvanTech YOU double walled drawer system

- ▶ Drawer height 101 mm
- ▶ Powder coated steel, white / anthracite

Planning / installation dimensions

* All dimensions identical for Actro YOU and Quadro YOU

Dimension	mm
BL	NL - 21
BB	LB - 24
RB	LB - 24
LT	NL + 3
LT	Internal drawer / internal pot-and-pan drawer
LT	Internal drawer / internal pot-and-pan drawer Push to open
LT	Internal drawer / internal pot-and-pan drawer Push to open Silent

BB Bottom panel width	KB Cabinet body width	NL Nominal length	LB Clear inside width
BL Bottom panel length	RB Rear panel width	KD Cabinet body side thicknesses	LT Clear inside depth

Positions for attaching Actro YOU / Quadro YOU drawer runner

AvanTech YOU Drawer / pot-and-pan drawer

← Cabinet body front edge

Actro YOU

Nominal length

* Hole spacing b2 only for Actro YOU XL

Quadro YOU

Nominal length

AvanTech YOU Internal drawer / internal pot-and-pan drawer

← Cabinet body front edge

← Cabinet body front edge Push to open Silent

← Cabinet body front edge Push to open

Nominal length mm	Hole spacing mm	
	b1	b2*
270	160	
300	160	
350	224	
400	224	
450	256	288
500	256	320
550	256	320
600	256	320
650	256	416

Information


- | | | | |
|--------------------------------|---------|---|------------------|
| ▶ Rear panel options | 24 - 25 | ▶ Actro YOU / Quadro YOU drawer runners | 36 - 37, 40 - 41 |
| ▶ Internal front panel options | 26 - 29 | ▶ Push to open Silent | 38 - 39, 42 - 43 |
| ▶ Design options | 31 - 32 | ▶ Quality criteria | 47 |
| ▶ Technical accessories | 34 - 35 | | |

AvanTech YOU double walled drawer system

- ▶ Drawer height 139 mm
- ▶ Powder coated steel, white / anthracite



1 Drawer side profile set, height 139 mm



- ▶ Integrated vertical, lateral and tilt adjustment
- ▶ Steel, powder coated

Set comprises:

- ▶ 1 1 drawer side profile, left and right
- ▶ 2 2 design profiles in drawer side profile colour
- ▶ 3 2 drawer front connectors for screwing on
- ▶ 5 2 rear panel stabilisers
- ▶ Fixing material

Note:

- ▶ For design options, see pages 31 - 32

Nominal length mm	Order no. / surface finish		PU
	white	anthracite	
300	9 255 294	9 255 334	1 set
350	9 255 295	9 255 335	1 set
400	9 255 296	9 255 336	1 set
450	9 255 297	9 255 337	1 set
500	9 255 298	9 255 338	1 set
550	9 255 299	9 255 339	1 set
600	9 255 300	9 255 340	1 set

5 Rear panel stabiliser



- ▶ For wooden and aluminium rear panels
- ▶ 1 each for cabinet body width ≥ 600 mm; 2 each ≥ 800 mm; 3 each = 1200 mm
- ▶ Plastic

Order no.	PU
9 257 702	200 ea.




AvanTech YOU double walled drawer system

- ▶ Drawer height 139 mm
- ▶ Powder coated steel, white / anthracite

Planning / installation dimensions



* All dimensions identical for Actro YOU and Quadro YOU




BB Bottom panel width	KB Cabinet body width	NL Nominal length	LB Clear inside width
BL Bottom panel length	RB Rear panel width	KD Cabinet body side thicknesses	LT Clear inside depth

Dimension		mm
BL		NL - 21
BB		LB - 24
RB		LB - 24
LT		NL + 3
LT	Internal drawer / internal pot-and-pan drawer	NL + 12
LT	Internal drawer / internal pot-and-pan drawer Push to open Push to open Silent	NL + 21

Positions for attaching Actro YOU / Quadro YOU drawer runner

AvanTech YOU Drawer / pot-and-pan drawer

◀ Cabinet body front edge





◀ -3 - 4 mm Push to open Silent



AvanTech YOU Internal drawer / internal pot-and-pan drawer

◀ Cabinet body front edge

◀ Cabinet body front edge Push to open Silent Push to open



Nominal length mm	Hole spacing mm	
	b1	b2*
270	160	
300	160	
350	224	
400	224	
450	256	288
500	256	320
550	256	320
600	256	320
650	256	416



Information


- | | | | |
|--------------------------------|---------|---|------------------|
| ▶ Rear panel options | 24 - 25 | ▶ Actro YOU / Quadro YOU drawer runners | 36 - 37, 40 - 41 |
| ▶ Internal front panel options | 26 - 29 | ▶ Push to open Silent | 38 - 39, 42 - 43 |
| ▶ Design options | 31 - 32 | ▶ Quality criteria | 47 |
| ▶ Technical accessories | 34 - 35 | | |

AvanTech YOU double walled drawer system

- ▶ Pot-and-pan drawer, height 187 mm
- ▶ Powder coated steel, white / anthracite



1 Drawer side profile set, height 187 mm



- ▶ Integrated vertical, lateral and tilt adjustment
- ▶ Steel, powder coated

Set comprises:

- ▶ 1 1 drawer side profile, left and right
- ▶ 2 2 design profiles in drawer side profile colour
- ▶ 3 2 drawer front connectors for screwing on
- ▶ 5 2 rear panel stabilisers
- ▶ Fixing material

Note:

- ▶ For design options, see pages 31 - 32

Nominal length mm	Order no. / surface finish		PU
	white	anthracite	
270	9 255 302	9 255 342	1 set
300	9 255 303	9 255 343	1 set
350	9 255 304	9 255 344	1 set
600	9 255 309	9 255 349	1 set
650	9 255 310	9 255 350	1 set

5 Rear panel stabiliser



- ▶ For wooden and aluminium rear panels
- ▶ 1 each for cabinet body width \geq 600 mm; 2 each \geq 800 mm; 3 each = 1200 mm
- ▶ Plastic


Order no.	PU
9 257 702	200 ea.

AvanTech YOU double walled drawer system

- ▶ Pot-and-pan drawer, height 187 mm
- ▶ Powder coated steel, white / anthracite



1 A Drawer side profile, height 187 mm



- ▶ **2 A / B / C** Design profile must be ordered separately
- ▶ **3 A** Drawer front connector must be ordered separately
- ▶ **12** DesignCape can be ordered separately
- ▶ Integrated vertical, lateral, depth and tilt adjustment
- ▶ Powder coated steel

Nominal length mm	Order no. / surface finish / mounting side				PU
	white		anthracite		
	left	right	left	right	
400	9 255 130	9 255 131	9 255 210	9 255 211	10 ea.
450	9 255 132	9 255 133	9 255 212	9 255 213	10 ea.
500	9 255 134	9 255 135	9 255 214	9 255 215	10 ea.
550	9 255 136	9 255 137	9 255 216	9 255 217	10 ea.

2 A Design profile in frame color




- ▶ Any chosen top edge for drawer side profile
- ▶ For clipping on
- ▶ Plastic, solid coloured

Nominal length mm	Order no. / surface finish		PU
	white	anthracite	
270	9 255 813	9 255 822	200 ea.
300	9 255 814	9 255 823	200 ea.
350	9 255 815	9 255 824	200 ea.
400	9 255 816	9 255 825	200 ea.
450	9 255 817	9 255 826	200 ea.
500	9 255 818	9 255 827	200 ea.
550	9 255 819	9 255 828	200 ea.
600	9 255 820	9 255 829	200 ea.
650	9 255 821	9 255 830	200 ea.

AvanTech YOU double walled drawer system

- ▶ Pot-and-pan drawer, height 187 mm
- ▶ Powder coated steel, white / anthracite

3 A Drawer front connector for drawer side profile, height 187 / 251 mm



- ▶ For screwing on or knocking in
- ▶ Steel

Mounting option	Order no.	PU
for screwing on	9 255 838	200 ea.
for knocking in	9 255 839	200 ea.

5 Rear panel stabiliser



- ▶ For wooden and aluminium rear panels
- ▶ 1 each for ≥ 600 mm cabinet width;
- ▶ 2 each ≥ 800 mm;
- ▶ 3 each = 1200 mm
- ▶ Plastic

Order no.	PU
9 257 702	200 ea.


Information

▶ Rear panel options	24 - 25	▶ Actro YOU / Quadro YOU drawer runners	36 - 37, 40 - 41
▶ Internal front panel options	26 - 29	▶ Push to open Silent	38 - 39, 42 - 43
▶ Design options	31 - 32	▶ Quality criteria	47
▶ Technical accessories	34 - 35		


AvanTech YOU double walled drawer system

- ▶ Pot-and-pan drawer, height 187 mm
- ▶ Powder coated steel, white / anthracite

Planning / installation dimensions



* All dimensions identical for Actro YOU and Quadro YOU




Dimension	mm
BL	NL - 21
BB	LB - 24
RB	LB - 24
LT	NL + 3
LT	Internal drawer / internal pot-and-pan drawer NL + 12
LT	Internal drawer / internal pot-and-pan drawer Push to open NL + 21
	Push to open Silent

BB Bottom panel width	KB Cabinet body width	NL Nominal length	LB Clear inside width
BL Bottom panel length	RB Rear panel width	KD Cabinet body side thicknesses	LT Clear inside depth

Positions for attaching Actro YOU / Quadro YOU drawer runner

AvanTech YOU Drawer / pot-and-pan drawer

◀ Cabinet body front edge





- 3 - 4 mm Push to open Silent


AvanTech YOU Internal drawer / internal pot-and-pan drawer

◀ Cabinet body front edge


◀ Cabinet body front edge Push to open Silent
Push to open



Nominal length mm	Hole spacing mm	
	b1	b2*
270	160	
300	160	
350	224	
400	224	
450	256	288
500	256	320
550	256	320
600	256	320
650	256	416



* Hole spacing b2 only for Actro YOU XL



Information


- | | | | |
|--------------------------------|---------|---|------------------|
| ▶ Rear panel options | 24 - 25 | ▶ Actro YOU / Quadro YOU drawer runners | 36 - 37, 40 - 41 |
| ▶ Internal front panel options | 26 - 29 | ▶ Push to open Silent | 38 - 39, 42 - 43 |
| ▶ Design options | 31 - 32 | ▶ Quality criteria | 47 |
| ▶ Technical accessories | 34 - 35 | | |

AvanTech YOU double walled drawer system

- ▶ Pot-and-pan drawer, height 251 mm
- ▶ Powder coated steel, white / anthracite



1 Drawer side profile set, height 251 mm



- ▶ Integrated vertical, lateral and tilt adjustment
- ▶ Steel, powder coated

Set comprises:

- ▶ **1** 1 drawer side profile, left and right
- ▶ **2** 2 design profiles in drawer side profile colour
- ▶ **3** 2 drawer front connectors for screwing on
- ▶ **4** 2 drawer front connector stabilisers, for screwing on
- ▶ **5** 2 rear panel stabilisers
- ▶ Fixing material

Note:

- ▶ For design options, see pages 31 – 32

Nominal length mm	Order no. / surface finish		PU
	white	anthracite	
350	9 255 313	9 255 353	1 set
400	9 255 314	9 255 354	1 set
450	9 255 315	9 255 355	1 set
500	9 255 316	9 255 356	1 set
550	9 255 317	9 255 357	1 set
600	9 255 318	9 255 358	1 set
650	9 255 319	9 255 359	1 set

5 Rear panel stabiliser




- ▶ For wooden and aluminium rear panels
- ▶ 1 each for cabinet body width ≥ 600 mm; 2 each ≥ 800 mm; 3 each = 1200 mm
- ▶ Plastic

Order no.	PU
9 257 702	200 ea.


AvanTech YOU double walled drawer system

- ▶ Pot-and-pan drawer, height 251 mm
- ▶ Powder coated steel, white / anthracite

Planning / installation dimensions



* All dimensions identical for Actro YOU and Quadro YOU




Dimension	mm
BL	NL - 21
BB	LB - 24
RB	LB - 24
LT	NL + 3

BB Bottom panel width	KB Cabinet body width	NL Nominal length	LB Clear inside width
BL Bottom panel length	RB Rear panel width	KD Cabinet body side thicknesses	LT Clear inside depth

Positions for attaching Actro YOU / Quadro YOU drawer runner

AvanTech YOU Drawer / pot-and-pan drawer


◀ Cabinet body front edge




◀ -3 - 4 mm Push to open Silent

AvanTech YOU Internal drawer / internal pot-and-pan drawer


◀ Cabinet body front edge




◀ Cabinet body front edge Push to open Silent
Push to open



Nominal length mm	Hole spacing mm	
	b1	b2*
270	160	
300	160	
350	224	
400	224	
450	256	288
500	256	320
550	256	320
600	256	320
650	256	416



* Hole spacing b2 only for Actro YOU XL



Information


- | | | | |
|--------------------------------|---------|---|------------------|
| ▶ Rear panel options | 24 - 25 | ▶ Actro YOU / Quadro YOU drawer runners | 36 - 37, 40 - 41 |
| ▶ Internal front panel options | 26 - 29 | ▶ Push to open Silent | 38 - 39, 42 - 43 |
| ▶ Design options | 31 - 32 | ▶ Quality criteria | 47 |
| ▶ Technical accessories | 34 - 35 | | |

AvanTech YOU double walled drawer system

- ▶ Inlay pot-and-pan drawer, height 187 mm
- ▶ Powder coated steel, white / anthracite



1 Inlay drawer side profile set, height 187 mm



- ▶ Integrated vertical, lateral and tilt adjustment
- ▶ Steel, powder coated

Set comprises:

- ▶ **1** 1 inlay drawer side profile, left and right
 - 2 caps, front, left and right
 - 2 caps, rear, left and right
- ▶ **2** 2 drawer front connectors for Inlay drawer side profile for screwing on
- ▶ **5** 2 rear panel stabilisers
- ▶ Fixing material

Note:

- ▶ For design options, see page 31 - 32

Nominal length mm	Order no. / surface finish		PU
	white	anthracite	
350	9 257 180	9 257 187	1 set
400	9 257 181	9 257 188	1 set
450	9 257 182	9 257 189	1 set
500	9 257 183	9 257 190	1 set
550	9 257 184	9 257 191	1 set
600	9 257 185	9 257 192	1 set
650	9 257 186	9 257 193	1 set

5 Rear panel stabiliser




- ▶ For wooden and aluminium rear panels
- ▶ 1 each for cabinet body width ≥ 600 mm; 2 each ≥ 800 mm; 3 each = 1200 mm
- ▶ Plastic

Order no.	PU
9 257 702	200 ea.

AvanTech YOU double walled drawer system

- ▶ Inlay pot-and-pan drawer, height 187 mm
- ▶ Powder coated steel, white / anthracite


Planning / installation dimensions



Positions for attaching Actro YOU / Quadro YOU drawer runner

AvanTech YOU Drawer / pot-and-pan drawer


◀ Cabinet body front edge






◀ -3 - 4 mm Push to open Silent

AvanTech YOU Internal drawer / internal pot-and-pan drawer

◀ Cabinet body front edge



◀ Cabinet body front edge Push to open Silent
Push to open



Nominal length mm	Hole spacing mm	
	b1	b2*
270	160	
300	160	
350	224	
400	224	
450	256	288
500	256	320
550	256	320
600	256	320
650	256	416


Information

- | | | | |
|--------------------------------|---------|---|------------------|
| ▶ Rear panel options | 24 - 25 | ▶ Actro YOU / Quadro YOU drawer runners | 36 - 37, 40 - 41 |
| ▶ Internal front panel options | 26 - 29 | ▶ Push to open Silent | 38 - 39, 42 - 43 |
| ▶ Design options | 31 - 32 | ▶ Quality criteria | 47 |
| ▶ Technical accessories | 34 - 35 | | |

AvanTech YOU double walled drawer system

- ▶ Rear panel
- ▶ Aluminium profile / accessories


8 Connector for rear panel



- ▶ Connector for customised rear panel / rear panel profile for cutting to length
- ▶ Powder coated steel

Nominal height mm	Order no. / surface finish / mounting side				PU
	white		anthracite		
	left	right	left	right	
101	9 257 678	9 257 679	9 257 690	9 257 691	20 ea.
139	9 257 680	9 257 681	9 257 692	9 257 693	20 ea.
187	9 257 682	9 257 683	9 257 694	9 257 695	20 ea.
251	9 257 684	9 257 685	9 257 696	9 257 697	20 ea.

9 Rear panel profile for cutting to length



- ▶ For variable and standard cabinet body widths
- ▶ Length 2000 mm
- ▶ Powder coated aluminium

Nominal height mm	Order no. / surface finish		PU
	white	anthracite	
101	9 257 305	9 257 310	1 ea.
139	9 257 306	9 257 311	1 ea.
187	9 257 307	9 257 312	1 ea.
251	9 257 308	9 257 313	1 ea.





Information

▶ Rear panel options	24 - 25	▶ Actro YOU / Quadro YOU drawer runners	36 - 37, 40 - 41
▶ Internal front panel options	26 - 29	▶ Push to open Silent	38 - 39, 42 - 43
▶ Design options	31 - 32	▶ Quality criteria	47
▶ Technical accessories	34 - 35		


AvanTech YOU double walled drawer system

- ▶ Rear panel
- ▶ Aluminium profile / accessories


Planning / installation dimensions




A	NL - 21
B	LB - 24
C	LB - 41
D H 101	54
D H 139	92
D H 187	140,5
D H 251	204,5




H 101




H 139



H 187



H 251




AvanTech YOU double walled drawer system

- ▶ Front panel for internal drawer / internal pot-and-pan drawer
- ▶ Drawer side profile heights 101, 139, 187 mm

6 Front panel for internal drawer / internal pot-and-pan drawer




6 A Internal front profile for cutting to length



- ▶ **6 B** or **6 C** set of connectors for internal front panel must be ordered separately
- ▶ For variable and standard cabinet body widths
- ▶ Length 2000 mm
- ▶ Powder coated aluminium

Nominal height mm	Order no. / colour		PU
	white	anthracite	
101	9 257 273	9 257 277	1 ea.
139	9 257 274	9 257 278	1 ea.
187	9 257 275	9 257 279	1 ea.

6 B Set of connectors for internal front profile for cutting to length, for use with drawer side profile




- ▶ For combining with **6 A** internal front profile for cutting to length
- ▶ Steel / plastic

Set comprises:

- ▶ 1 drawer front connector for drawer side profile, left and right
- ▶ 2 end caps
- ▶ 1 stabiliser for internal front panel
- ▶ Fixing material

Nominal height mm	Order no. / colour		PU
	white	anthracite	
101	9 257 615	9 257 619	1 set
139	9 257 616	9 257 620	1 set
187	9 257 617	9 257 621	1 set

6 C Set of connectors for internal front profile for cutting to length, for use with Inlay drawer side profile



- ▶ For combining with **6 A** internal front profile for cutting to length
- ▶ Steel / plastic

Set comprises:

- ▶ 1 front connector for Inlay drawer side profile, left and right
- ▶ 2 end caps
- ▶ 1 stabiliser for internal front panel
- ▶ Fixing material

Nominal height mm	Order no. / colour		PU
	white	anthracite	
187	9 257 625	9 257 627	1 set

AvanTech YOU double walled drawer system

- ▶ Front panel for internal drawer / internal pot-and-pan drawer
- ▶ Drawer side profile heights 101, 139, 187 mm

Catch for front panel height 101



- ▶ Not suitable for customisable internal front panel
- ▶ Plastic

Set comprises:

- ▶ 1 catch
- ▶ 1 housing for catch
- ▶ Fixing material

Nominal height mm	Order no. / colour		PU
	white	anthracite	
101	9 257 735	9 257 736	1 set

Information

▶ Rear panel options	24 - 25	▶ Actro YOU / Quadro YOU drawer runners	36 - 37, 40 - 41
▶ Internal front panel options	26 - 29	▶ Push to open Silent	38 - 39, 42 - 43
▶ Design options	31 - 32	▶ Quality criteria	47
▶ Technical accessories	34 - 35		


AvanTech YOU double walled drawer system

- ▶ Customisable front panel for internal pot-and-pan drawer
- ▶ Drawer side profile height 187 mm

7 Customisable front panel for internal drawer / pot-and-pan drawer




7 A Support profile for customisable internal front panel



- ▶ **7 B** or **7 C** Connector for customisable front panel must be ordered separately
- ▶ For using materials in a thickness of 10 mm (materials in a thickness of 8 mm: also see adapter)
- ▶ For variable and standard cabinet body widths
- ▶ Length 2000 mm
- ▶ Powder coated aluminium

Nominal height mm	Order no. / colour		PU
	white	anthracite	
187	9 257 664	9 257 665	1 ea.

7 B Set of connectors for customisable front panel, height 187 mm, for use with drawer side profile




- ▶ **7 A** Support profile for customisable internal front panel must be ordered separately
- ▶ For combining with 10 mm glass inlay or any chosen material
- ▶ With premounted drawer front connector
- ▶ Powder coated steel

Set comprises:

- ▶ 1 connector for customisable internal front panel, left and right
- ▶ 1 drawer front connector for drawer side profile, left and right
- ▶ 1 cover cap, left and right
- ▶ Fixing material

Nominal height mm	Order no. / colour		PU
	white	anthracite	
187	9 257 652	9 257 653	1 set

7 C Connector for customisable front panel, height 187 mm, for use with Inlay drawer side profile



- ▶ **7 A** Support profile for customisable internal front panel must be ordered separately
- ▶ For combining with 10 mm glass inlay or any chosen material
- ▶ With premounted drawer front connector
- ▶ Powder coated steel

Set comprises:







- ▶ 1 connector for customisable internal front panel, left and right
- ▶ 1 front connector for Inlay drawer side profile, left and right
- ▶ 1 cover cap, left and right
- ▶ Fixing material

Nominal height mm	Order no. / colour		PU
	white	anthracite	
187	9 257 658	9 257 659	1 set

AvanTech YOU double walled drawer system

► Customisable front panel for internal pot-and-pan drawer

Planning / installation dimensions



Information

► Rear panel options	24 - 25	► Actro YOU / Quadro YOU drawer runners	36 - 37, 40 - 41
► Internal front panel options	26 - 29	► Push to open Silent	38 - 39, 42 - 43
► Design options	31 - 32	► Quality criteria	47
► Technical accessories	34 - 35		



AvanTech YOU fascinates!

The AvanTech YOU drawer system provides a huge amount of design flexibility in terms of colour, shape and material, giving you the key to successfully turning your own furniture design ideas into reality. Incredibly easy to achieve with AvanTech YOU, whatever personal character you want a design to reflect is a matter for you to decide. With a simple click, design profiles or DesignCapes conjure an accentuated, visual transformation. AvanTech YOU Inlay, the elegant drawer side profile with glass inlay, does away with the boundaries between space and furniture and

focuses the eye on furniture design. Printing your logo on the drawer side profile completes your design. With this versatile system, however, you can let your own imagination run free. With the option of using any chosen materials, your ideas become distinctive solutions that stand apart! Whether for use in the bathroom, living room or kitchen – your wishes are easily fulfilled with the broad diversity of this product range and the many different ways of creating furniture with a look of individuality.

► Design options



2 B Design profile in accent colour



- Any chosen top edge for drawer side profile
- For clipping on
- Plastic, foil wrapped

Nominal length mm	Order no. / surface finish					PU
	aluminium	stainless steel	chrome	oak	walnut	
270	9 255 759	9 255 768	9 255 777	9 255 786	9 255 795	100 ea.
300	9 255 760	9 255 769	9 255 778	9 255 787	9 255 796	100 ea.
350	9 255 761	9 255 770	9 255 779	9 255 788	9 255 797	100 ea.
400	9 255 762	9 255 771	9 255 780	9 255 789	9 255 798	100 ea.
450	9 255 763	9 255 772	9 255 781	9 255 790	9 255 799	100 ea.
500	9 255 764	9 255 773	9 255 782	9 255 791	9 255 800	100 ea.
550	9 255 765	9 255 774	9 255 783	9 255 792	9 255 801	100 ea.
600	9 255 766	9 255 775	9 255 784	9 255 793	9 255 802	100 ea.
650	9 255 767	9 255 776	9 255 785	9 255 794	9 255 803	100 ea.


2 C Customisable design profile



- Support for any chosen versions of the design profile
- Length 2000 mm
- For clipping on
- Grey plastic with adhesive strip

Order no.	PU
9 255 831	50 ea.

12 DesignCape



- For clipping on
- Length 2000 mm
- Aluminium

Set comprises:

- Aluminium profile
- Fixing material

Note:

- For further DesignCape versions, refer to Hettich eShop

Nominal height mm	Order no. / surface finish		PU
	aluminium look	stainless steel look	
101	9 257 643	9 257 647	1 ea.
187	9 257 645	9 257 649	1 ea.

13 Branding clip




- Available on request with any chosen imprint or customer logo
- For clipping on
- Plastic, foil wrapped

Finish	Order no.	PU
white with Hettich logo	9 257 704	200 ea.
anthracite with Hettich logo	9 257 705	200 ea.
white	9 270 186	200 ea.
anthracite	9 270 187	200 ea.

Information

► Rear panel options	24 - 25	► Actro YOU / Quadro YOU drawer runners	36 - 37, 40 - 41
► Internal front panel options	26 - 29	► Push to open Silent	38 - 39, 42 - 43
► Design options	31 - 32	► Quality criteria	47
► Technical accessories	34 - 35		

4 A Front stabiliser



- For stabilising wide and / or high front panels
- Recommended for use in cabinet body widths 600 mm and over and / or front panel heights of 450 mm
- Plastic, anthracite

Order no.	PU
9 123 080	150 ea.


Glass inserts for AvanTech YOU Inlay drawer side profile



- Clear glass, satin finished edge

Nominal length mm	Order no.	PU
350	9 283 178	1 set
400	9 283 179	1 set
450	9 283 180	1 set
500	9 283 181	1 set
550	9 283 182	1 set
600	9 283 183	1 set
650	9 283 184	1 set

Glass inserts for AvanTech YOU customisable internal front panel



- Clear glass, satin finished edge

Cabinet body width mm	Order no. / height mm / cabinet side panel thickness KD mm		PU
	height 66 mm	height 130 mm	
	KD 19 mm	KD 19 mm	
900	9 283 244	9 283 259	1 ea.


Information

► Rear panel options	24 - 25	► Actro YOU / Quadro YOU drawer runners	36 - 37, 40 - 41
► Internal front panel options	26 - 29	► Push to open Silent	38 - 39, 42 - 43
► Design options	31 - 32	► Quality criteria	47
► Technical accessories	34 - 35		

AvanTech YOU double walled drawer system

▶ Connector for front panels from 10 mm

Connector for front panels from 10 mm



Set comprises:

- ▶ 10 sockets, \varnothing 10 x 8 mm
- ▶ 10 self tapping screws, \varnothing 3.5 x 16 mm

Order no.	PU
9 268 149	1 set

Installation

	Chipboard, MDF	Solid surface materials / HPL
	<p>$\leq 1,5$ Nm</p>	<p>$\leq 1,9$ Nm</p>
For lengthwise railing		

Chipboard screws / panhead



- Panhead
- Pozidrive screw
- Steel

Dimensions mm	Finish	Order no.	PU
ø 3.5 x 6.5	galvanised	9 278 225	200 ea.
ø 3.5 x 12	galvanised	0 045 167	200 ea.
ø 3.5 x 20	galvanised	0 045 168	200 ea.
ø 3.5 x 30	galvanised	9 278 224	200 ea.

Self tapping screw / panhead




- Panhead
- Pozidrive screw
- Steel

Dimensions mm	Finish	Order no.	PU
ø 3.5 x 12	galvanised	9 279 197	100 ea.

AvanTech YOU double walled drawer system

- ▶ Actro YOU drawer runner with Silent System
- ▶ For AvanTech YOU or wooden drawers

11 A Actro YOU drawer runner with Silent System



- ▶ Full extension runner for combining with AvanTech YOU system drawer or wooden drawer with catches
- ▶ Integrated Silent System
- ▶ Optionally upgradable with Push to open Silent
- ▶ Load capacity 40 / 70 kg
- ▶ Load capacity to EN 15338, Level 3
- ▶ Galvanised steel

Load class L (40 kg)

Nominal length	Order no.	PU	Order no. / mounting side		PU
			left	right	
270	9 256 999	1 pair			
300	9 257 000	1 pair			
350	9 257 002	1 pair			
400			9 256 984	9 256 985	10 ea.
450			9 256 988	9 256 989	10 ea.
500			9 256 992	9 256 993	10 ea.
550			9 256 996	9 256 997	10 ea.
600	9 268 681	1 pair			


Load class XL (70 kg)

Nominal length	Order no.	PU
450	9 257 034	1 pair
500	9 257 036	1 pair
550	9 257 038	1 pair
600	9 257 040	1 pair
650	9 257 041	1 pair

AvanTech YOU double walled drawer system

- ▶ Actro YOU drawer runner with Silent System
- ▶ For AvanTech YOU or wooden drawers

Lengthwise cross-section




Installation dimensions with Silent System / Push to open Silent

Nominal length mm	Hole spacing b1 mm	Hole spacing b2 mm*	Drawer / pot-and-pan drawer Minimum cabinet body depth mm	Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth mm
270	160		273	282
300	160		303	312
350	224		353	362
400	224		403	412
450	256	288	453	462
500	256	320	503	512
550	256	320	553	562
600	256	320	603	612
650	256	416	653	662

* Hole spacing b2 for Actro XL only

Actro YOU catch




- ▶ For using Actro YOU with wooden drawers
- ▶ Height adjustment up to + 3 mm
- ▶ Zinc die-cast / plastic

Cabinet side	Order no.	PU
left	9 257 263	100 ea.
right	9 257 264	100 ea.

AvanTech YOU double walled drawer system

► Push to open Silent opening system for Actro YOU

Push to open Silent opening system for Actro YOU



- Can be used with AvanTech YOU system drawer on Actro YOU drawer runner with Silent System
- Optional synchronisation possible

Set comprises:

- 1 Push to open Silent unit, left and right
- 1 activator, left and right
- 2 adapters for synchronisation

Total weight kg	Actro kg	Nominal length mm	Order no.	PU
8 - 20	40	270 - 650	9 257 891	1 set
10 - 40	40	270 - 650	9 257 892	1 set
20 - 70	70	400 - 650	9 257 893	1 set

Recommendation for drawer (front panel height up to approx. 150 mm)*

Nominal length mm	Nominal width mm												
	275	300	350	400	500	600	700	800	900	1000	1100	1200	
270													
300													
350													
400													
450													
500													
550													
650													

Recommendation for pot-and-pan drawer (front panel height up to approx. 300 mm, light to medium duty loading)*

Nominal length mm	Nominal width mm												
	275	300	350	400	500	600	700	800	900	1000	1100	1200	
270													
300													
350													
400													
450													
500													
550													
650													

Recommendation for pot-and-pan drawer (front panel height up to approx. 300 mm, carrying heavy load, e.g. with stacks of plates)*

Nominal length mm	Nominal width mm												
	275	300	350	400	500	600	700	800	900	1000	1100	1200	
270													
300													
350													
400													
450													
500													
550													
650													

Order no. Push to open Silent:

9 257 891

9 257 892


9 257 893

* Recommendations for applications (front panel 19 mm chipboard, normal household loading), please refer to our online configurator to get more exact recommendations for customer chosen front panel dimensions and materials.

AvanTech YOU double walled drawer system

► Push to open Silent opening system for Actro YOU

Optional synchronisation for Push to open Silent




- Recommended for cabinet body widths > 600 mm

- Synchronisation bar:
- For cutting to length
 - Length 2000 mm
 - Aluminium anodised

- Connector:
- For connecting 2 synchronisation bars
 - Plastic, grey.

Article	Order no.	PU
1 Synchronisation bar	9 236 718	100 ea.
2 Connectors	9 221 295	20 ea.


Optional multisynchronisation for Push to open Silent



- Synchronisation bar for cutting to length, 2000 mm
- Connector for minimising offcut waste
- Recommended for cabinet body widths > 600 mm; can be used from 275 mm
- Aluminium, anodised, grey plastic

Article	Order no.	PU
1 Synchronisation bar	9 236 718	100 ea.
3 Connectors	9 278 452	20 ea.


Optional flexible adapter for synchronisation



- For use in conjunction with lowered drawer runners (angled fronts)
- Replaces the adapter for synchronisation in the Push to open Silent set

Order no.	PU
9 262 213	20 ea.

Optional synchronisation deflector for Push to open Silent



- For moving the synchronisation bar by 50, 90 or 140 mm

- Set comprises:
- 2 housings
 - 2 adapters for Push to open unit
 - 2 adapters for synchronisation bar

Order no.	PU
9 278 453	1 set


Information

► Rear panel options	24 - 25	► Actro YOU / Quadro YOU drawer runners	36 - 37, 40 - 41
► Internal front panel options	26 - 29	► Push to open Silent	38 - 39, 42 - 43
► Design options	31 - 32	► Quality criteria	47
► Technical accessories	34 - 35		

AvanTech YOU double walled drawer system

- ▶ Quadro YOU drawer runner with Silent System
- ▶ For AvanTech YOU or wooden drawers

11 B Quadro YOU drawer runner with Silent System



- ▶ Full extension runner for combining with AvanTech YOU system drawer or wooden drawer with catches
- ▶ Integrated Silent System
- ▶ Optionally upgradable with Push to open Silent
- ▶ Load capacity 30 kg
- ▶ Load capacity to EN 15338, Level 3
- ▶ Galvanised steel


Load class M (30 kg)

Nominal length mm	Order no.	PU	Order no. / mounting side		PU
			left	right	
270	9 256 883	1 pair			
300	9 256 884	1 pair			
350	9 256 886	1 pair			
400			9 256 864	9 256 865	20 ea.
450			9 256 868	9 256 869	20 ea.
500			9 256 872	9 256 873	20 ea.
550			9 256 876	9 256 877	20 ea.
600	9 256 896	1 pair			

AvanTech YOU double walled drawer system

- ▶ Quadro YOU drawer runner with Silent System
- ▶ For AvanTech YOU or wooden drawers


Lengthwise cross-section



Installation dimensions with Silent System / Push to open Silent

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer Minimum cabinet body depth mm	Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth mm
270	160	273	282
300	160	303	312
350	224	353	362
400	224	403	412
450	256	453	462
500	256	503	512
550	256	553	562
600	256	603	612

Quadro YOU catch




- ▶ For using Quadro YOU with wooden drawers
- ▶ Height adjustment up to + 3 mm
- ▶ Plastic

Cabinet side	Order no.	PU
left	9 257 260	100 ea.
right	9 257 261	100 ea.

AvanTech YOU double walled drawer system

► Push to open Silent opening system for Quadro YOU

Push to open Silent opening system for Quadro YOU



- Can be used with AvanTech YOU system drawer on Quadro YOU drawer runner with Silent System
- Optional synchronisation possible

Set comprises:

- 1 Push to open Silent unit, left and right
- 1 activator, left and right
- 2 adapters for synchronisation

Total weight kg	Load class Quadro kg	Nominal length mm	Order no.	PU
8 - 20	30 kg	270 - 600	9 257 895	1 set
10 - 30	30 kg	350 - 600	9 257 896	1 set

Recommendation for drawer (front panel height up to approx. 150 mm, light duty loading)*

Nominal length mm	Nominal width mm												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
270													
300													
350													
400													
450													
500													
550													
600													

Recommendation for pot-and-pan drawer (front panel height up to approx. 300 mm, medium duty loading)*

Nominal length mm	Nominal width mm												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
270													
300													
350													
400													
450													
500													
550													
600													

Recommendation for pot-and-pan drawer, heavy duty (front panel height up to approx. 300 mm, heavy duty loading, e.g. with stacks of plates)*

Nominal length mm	Nominal width mm												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
270													
300													
350													
400													
450													
500													
550													
600													

Order no. Push to open Silent:

9 257 895


9 257 896

* Recommendations for standard applications (front panel 19 mm chipboard, normal household loading), please refer to our online configurator to get more exact recommendations for customer chosen front panel dimensions and materials.

AvanTech YOU double walled drawer system

▶ Push to open Silent opening system for Quadro YOU

Optional synchronisation for Push to open Silent




- ▶ Recommended for cabinet body widths > 600 mm

- Synchronisation bar:
- ▶ For cutting to length
 - ▶ Length 2000 mm
 - ▶ Aluminium anodised

- Connector:
- ▶ For connecting 2 synchronisation bars
 - ▶ Plastic, grey.

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1 ea.
2 Connectors	9 221 295	20 ea.


Optional multisynchronisation for Push to open Silent



- ▶ Synchronisation bar for cutting to length, 2000 mm
- ▶ Connector for minimising offcut waste
- ▶ Recommended for cabinet body widths > 600 mm; can be used from 275 mm
- ▶ Aluminium, anodised, grey plastic

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1 ea.
3 Connectors	9 278 452	20 ea.


Optional flexible adapter for synchronisation



- ▶ For use in conjunction with lowered drawer runners (angled fronts)
- ▶ Replaces the adapter for synchronisation in the Push to open Silent set

Order no.	PU
9 262 213	20 ea.

Optional synchronisation deflector for Push to open Silent



- ▶ For moving the synchronisation bar by 50, 90 or 140 mm

- Set comprises:
- ▶ 2 housings
 - ▶ 2 adapters for Push to open unit
 - ▶ 2 adapters for synchronisation bar

Order no.	PU
9 278 453	1 set

Information

▶ Rear panel options	24 - 25	▶ Actro YOU / Quadro YOU drawer runners	36 - 37, 40 - 41
▶ Internal front panel options	26 - 29	▶ Push to open Silent	38 - 39, 42 - 43
▶ Design options	31 - 32	▶ Quality criteria	47
▶ Technical accessories	34 - 35		


AvanTech YOU double walled drawer system

▶ Example application with narrow base unit



- ▶ Cabinet body height 750 mm max.
- ▶ Cabinet body width 300 mm max.
- ▶ Actro YOU / Quadro YOU drawer runner is required on the left and right, mounted diagonally
- ▶ Total load capacity 20 kg max.
- ▶ Other configurations are also possible

Example application



No.	Application	see pages
1	AvanTech YOU drawer	26 - 27
	Actro YOU with Silent System	36 - 37
	Quadro YOU with Silent System	40 - 41
2	AvanTech YOU pot-and-pan drawer	16 - 23
	Actro YOU with Silent System	36 - 37
	Quadro YOU with Silent System	40 - 41

AvanTech YOU double walled drawer system


▶ Example application with tall unit



For individual cabinet body heights and widths

- ▶ Optimum use of storage space
- ▶ Recommended cabinet body widths 300 - 600 mm
- ▶ Other configurations are also possible

Example application



No.	Application	see pages
1	AvanTech YOU internal drawer Actro YOU with Silent System Quadro YOU with Silent System	26 - 27 36 - 37 40 - 41
2	AvanTech YOU pot-and-pan drawer Actro YOU with Silent System Quadro YOU with Silent System	16 - 23 36 - 37 40 - 41
3	AvanTech YOU internal drawer Actro YOU with Silent System Quadro YOU with Silent System	26 - 27 36 - 37 40 - 41
4	AvanTech YOU pot-and-pan drawer Actro YOU with Silent System Quadro YOU with Silent System	16 - 23 36 - 37 40 - 41


AvanTech YOU double walled drawer system

▶ Example application with larder unit




For individual cabinet body heights and widths

- ▶ Optimum use of storage space
- ▶ Recommended cabinet body widths: 450 - 1200 mm, with 2 hinged doors for cabinet bodies wider than 600 mm
- ▶ Recommended hinge: Sensys 8657i fast assembly concealed hinge
- ▶ Other configurations are also possible



Example application



No.	Application	see pages
1	AvanTech YOU internal drawer	26 - 27
	Actro YOU with Silent System	36 - 37
	Quadro YOU with Silent System	40 - 41
2	AvanTech YOU internal drawer	26 - 27
	Actro YOU with Silent System	36 - 37
	Quadro YOU with Silent System	40 - 41
3	AvanTech YOU internal drawer	26 - 27
	Actro YOU with Silent System	36 - 37
	Quadro YOU with Silent System	40 - 41
4	AvanTech YOU internal pot-and-pan drawer	26 - 29
	Actro YOU with Silent System	36 - 37
	Quadro YOU with Silent System	40 - 41
5	AvanTech YOU internal pot-and-pan drawer	26 - 29
	Actro YOU with Silent System	36 - 37
	Quadro YOU with Silent System	40 - 41
6	AvanTech YOU internal pot-and-pan drawer	26 - 29
	Actro YOU with Silent System	36 - 37
	Quadro YOU with Silent System	40 - 41

Drawer systems

► Quality criteria

Quality that meets all the demands

The quality of the drawer systems is monitored continuously. Hettich fittings comply with the national and international quality standards of the markets our customers operate in. The diagrams below show some of the tests Hettich fittings are required to pass.

Application area

Hettich drawer systems are suitable for use in living room, kitchen, bathroom and office furniture both in the home and business environment.

Load capacity and guards preventing unintentional detachment / removal

The load capacity indicated (to DIN EN 15338) is understood to mean the weight of the drawer itself, including contents, in kg. The applicable level is shown on the product. The load capacity refers to a reference length of 500 mm. The load capacity may vary for other


nominal lengths. All Hettich drawer systems feature guards to prevent the drawer from rolling out and being removed unintentionally and meet the requirements of the impact test in a test frame to EN 15338. Fitted in the proper manner, the drawer systems are suitable for furniture defined in EN 14749. The maximum front panel height depends in particular on the material, drawer size and drawer runner. Testing is conducted on drawers with a 130 mm front panel height and pot-and-pan drawers with a 300 mm front panel height. We will be pleased to provide any further information you may require.

Corrosion test

Hettich runner systems satisfy the requirements on corrosion defined in DIN EN 15338, 72 hour condensation water test to DIN EN 6270.


Wear test

The fully laden drawer must remain in proper working order after opening and closing it for a defined number of times at a defined test velocity.




Retention-on-opening test

The fully laden drawer is abruptly opened all the way several times at a defined test velocity.




Horizontal load test

Opened all the way, the fully laden drawer is additionally exposed to horizontal strain from a defined lateral force.



Vertical strain test

Opened all the way, the drawer is additionally exposed to vertical strain from a defined eccentric force.





Attractive on the outside. Intelligent inside.

The interior organisation solutions for the AvanTech YOU drawer systems bring a neat and tidy look to all parts of the home and to every walk of life in next to no time at all.

Pleasing the eye, all contents are easily and safely stored away with understated elegance and intelligent details.



Perfectly balanced and matched to needs:

Intelligent solutions for all levels of perceived quality. Inserts made of plastic, steel or wood provide a place for everything that needs to be in easy reach.



Versatile and individually tailored:

Personal storage spaces can be practically structured and organised to suit individual needs.



Practical and easily found:

Practical details and clever functions make everything easier to find, enhancing user convenience.

Interior organisation system for AvanTech YOU

► Range summary, interior organisation



OrgaTray 440
► for drawers / internal drawers

50



OrgaTray 470
► for drawers / internal drawers

51



OrgaTray 270
► for drawers / internal drawers

52 - 53



OrgaTray 630
► for drawers / internal drawers

54



OrgaStripe
► for drawers / internal drawers

55




OrgaStore 830
► for (internal) pot-and-pan drawers

56



OrgaStore 270
► for (internal) pot-and-pan drawers

57



Anti-slip mat / edge profile
► for drawers / pot-and-pan drawers

58



OrgaTray 510
► for drawers / pot-and-pan drawers

59



Metal surround for U bend cutout
► for drawers / pot-and-pan drawers

60

Interior organisation system for AvanTech YOU

► For drawers and internal drawers



- Can be used from 139 mm height
- Height 55 mm
- Plastic

OrgaTray 440

Width mm	Order no. / colour / depth mm		PU
	white	anthracite	
	441 - 520	441 - 520	
201 - 250	9 194 962	9 194 993	1 ea.
251 - 300	9 194 963	9 194 994	1 ea.
301 - 350	9 194 964	9 194 995	1 ea.
351 - 400	9 194 965	9 194 996	1 ea.
401 - 450	9 194 966	9 194 997	1 ea.
451 - 500	9 194 967	9 194 998	1 ea.
501 - 600	9 194 968	9 194 999	1 ea.
601 - 700	9 194 969	9 195 000	1 ea.
701 - 800	9 194 970	9 195 001	1 ea.
801 - 900	9 194 971	9 195 002	1 ea.
1091 - 1150	9 194 973	9 195 004	1 ea.


Divider

D											
441 - 520					*	*	*	*	*	*	*
W	201-250	251-300	301-350	351-400	401-450	451-500	501-600	601-700	701-800	801-900	1091-1150
NW											
AvanTech You	300	350	400	450	500	550	600	700	800	900	1200

* = knife and spice rack can be incorporated

D = Depth W = Width NW = Nominal width

Knife holder and spice rack



- Beech, lacquered

Article	Order no.	PU
1 Knife holder	0 074 430	1 ea.
2 Spice rack, standing, ø 53 mm	0 044 934	1 ea.
3 Spice rack, lying flat	9 079 207	1 ea.

Interior organisation system for AvanTech YOU

► For drawers and internal drawers



- Can be used from cabinet body width of 450 mm
- 2 can be fitted in cabinet bodies in widths of 800 mm and over
- Height 50 mm
- Plastic

OrgaTray 470

Nominal length mm	Order no. / colour		PU
	white	anthracite	
500	9 207 224	9 207 227	1 ea.
550	9 207 226	9 207 238	1 ea.

Divider

NL 500	D 474		NL 550	D 524	
W	326		326		

NL = Nominal length D = Depth W = Width


Interior organisation system for AvanTech YOU

► For drawers and internal drawers



- High quality interior organisation system made of wood
- Variable in width
- Various cabinet body widths can be provided by combining individual articles
- It is recommended to fit an anti-slip mat
- Can be combined with OrgaTray 630
- Beech, anthracite lacquered


OrgaTray 270, cutlery tray



- Dimensions: W 270 x H 43 x L 423 / 473 mm

Nominal length mm	Order no.	PU
450	9 278 291	1 ea.
500	9 278 292	1 ea.


OrgaTray 270, multifunction insert



- Dimensions: W 150 x H 43 x L 423 / 473 mm

Nominal length mm	Order no.	PU
450	9 278 293	1 ea.
500	9 278 294	1 ea.


OrgaTray 270, tray



- Dimensions: W 300 x H 43 x L 105.5 / 118 mm

Length mm	Order no.	PU
105	9 278 302	1 ea.
118	9 278 301	1 ea.

OrgaTray 270, lengthways filler




- For use in nominal lengths of 550, 600 and 650 mm
- Dimensions: W 600 / 1200 x H 43 x L 100 mm

Width mm	Order no.	PU
600	9 278 313	1 ea.
1200	9 279 203	1 ea.

Interior organisation system for AvanTech YOU

► For drawers and internal drawers

OrgaTray 270, connecting element




- For connecting cutlery organiser, multifunction insert and tray
- Aluminium, anodised

Set comprises:

- 4 connecting elements

Order no.	PU
9 278 312	1 ea.


OrgaTray 270, knife holder



- For fitting into the multifunction insert
- Dimensions: W 137 x H 26 x L 423 / 473 mm

Nominal length mm	Order no.	PU
450	9 278 295	1 ea.
500	9 278 296	1 ea.


OrgaTray 270, roll holder



- For fitting into the multifunction insert
- Dimensions: W 137 x H 38 x L 423 / 473 mm

Nominal length mm	Order no.	PU
450	9 278 297	1 ea.
500	9 278 298	1 ea.

OrgaTray 270, spice rack



- For fitting into the multifunction insert
- Dimensions: W 137 x H 26 x L 423 / 473 mm

Nominal length mm	Order no.	PU
450	9 278 299	1 ea.
500	9 278 300	1 ea.

Information

- Anti-slip mat 58
- OrgaTray 270 57

Interior organisation system for AvanTech YOU

► For drawers and internal drawers



- Can be used from cabinet body width of 350 mm
- 2 can be fitted in cabinet bodies in widths of 800 mm and over
- Height 43 mm
- Powder coated steel
- It is recommended to fit an anti-slip mat
- Can be combined with OrgaTray 270

OrgaTray 630

Nominal length mm	Order no. / colour		PU
	white	anthracite	
500	9 278 332	9 278 319	1 ea.
550	9 278 333	9 278 320	1 ea.

Divider

NL	D		NL	D	
500	473		550	523	
W	271		271		
NW	≥ 350		≥ 350		
AvanTech You					

NL = Nominal length D = Depth W = Width NW = Nominal width

Information

► Anti-slip mat	58
► OrgaTray 270	57


Interior organisation system for AvanTech YOU

► For drawers and internal drawers



- Versatile organisation system
- The self adhesive profiles can be used in virtually any drawer
- The cross partitions and dividers in a thickness of 4 mm provide plenty of scope for individually tailored organisation


OrgaStripe profile



- For sticking onto coated engineered wood, steel and aluminium
- Length 1100 mm
- Plastic

Colour	Order no.	PU
white	9 203 465	30 ea.
black	9 203 254	30 ea.

OrgaStripe clip



- For installing into the OrgaStripe profile
- For cross partition in 4 mm thickness
- Any cross partition material may be chosen
- Infinitely adjustable in the profile
- Plastic

Colour	Order no.	PU
white	9 203 468	60 ea.
black	9 203 467	60 ea.


Interior organisation system for AvanTech YOU

► For pot-and-pan drawers and internal pot-and-pan drawers



- OrgaStore 830 for AvanTech YOU
- For variable or standard cabinet body width
- For use from nominal length of 300 mm
- It is recommended to fit an anti-slip mat


OrgaStore 830, profile



- Height 120 mm
- Length 2000 mm
- For cutting to length
- Powder coated aluminium

Colour	Order no.	PU
white	9 182 249	1 ea.
anthracite	9 182 250	1 ea.


OrgaStore 830, adapter



- Height 125 mm
- Plugs onto the profile without the need for tools
- Two adapters are required for a set
- Plastic

Colour	Order no.	PU
white	9 230 269	30 ea.
anthracite	9 230 268	30 ea.

OrgaStore 830, lengthwise divider



- Height 125 mm
- Plastic

Colour	Order no.	PU
white	9 182 230	15 ea.
anthracite	9 278 249	15 ea.

Information

- Anti-slip mat

58


Interior organisation system for AvanTech YOU

► For pot-and-pan drawers and internal pot-and-pan drawers



- High quality interior organisation system made of wood
- Variable in width
- Various cabinet body widths can be provided by combining individual articles
- It is recommended to fit an anti-slip mat
- Beech, anthracite lacquered


OrgaStore 270, box



- Two boxes can be fitted one behind the other in nominal length of 500 mm
- Dimensions: W 231 x L 237 x H 110 mm

Order no.	PU
9 278 309	1 ea.

OrgaStore 230, plate holder



- Continuous adjustment for any plate diameter
- Dimensions: W 180 x L 340 x H 191 mm

Order no.	PU
9 278 310	1 ea.

Information



- Anti-slip mat

58

Interior organisation system for AvanTech YOU

► For drawers / internal drawers and pot-and-pan drawers / internal pot-and-pan drawers

Anti-slip mat



- For inserting into the drawer or pot-and-pan drawer
- 5 m roller
- Plastic

Nominal length mm	Order no. / colour			PU
	anthracite	white	black	
650	9 209 582	9 209 575	9 213 637	1 ea.


Interior organisation system for AvanTech YOU

► Solutions with bottom cutout



- Can be used from 550 mm cabinet body width and 350 mm nominal length
- Height 35 mm plus bottom cover
- Plastic

OrgaTray 510



Colour	Order no.	PU
white	9 207 046	1 ea.
anthracite	9 207 047	1 ea.


Interior organisation system for AvanTech YOU

► Solutions with bottom cutout



- Can be used for nominal lengths of 300 mm and over
- Use recommended on cabinet bodies in a width of 400 mm and over
- Height 53 mm plus bottom cover
- Powder coated steel

Metal surround for U bend cutout - square




Colour	Order no.	PU
white	9 278 344	1 ea.
anthracite	9 278 343	1 ea.



- Can be used from 139 mm height
- Can be used for nominal lengths of 300 mm and over
- Use recommended on cabinet bodies in a width of 400 mm and over
- Height 67 mm plus bottom cover
- Powder coated steel

Metal surround for U bend cutout - round



Colour	Order no.	PU
white	9 204 283	1 ea.
anthracite	9 204 284	1 ea.


Fitting systems for kitchens

- ▶ Waste collecting systems
- ▶ Range summary



Waste collecting systems behind front panels

62 - 63



Replacement bin / lid

63

Waste collecting systems

- ▶ Waste collecting systems behind front panels
- ▶ AvanTech YOU Pull



- ▶ Top running waste collecting system for AvanTech YOU drawer, 101 mm high
- ▶ The AvanTech YOU Pull frame is fitted instead of the drawer bottom panel
- ▶ Frame can be equipped as required with various bins and accessories
- ▶ Please order bin separately
- ▶ Please order AvanTech YOU drawer components separately
- ▶ Powder coated steel, anthracite


Set comprises:

- ▶ 1 fitted frame including front stay and lid
- ▶ Fixing material


AvanTech YOU Pull frame

For cabinet body width mm	Type	Order no. / Nominal length mm 500	PU
450		9 278 334	1 set
500		9 278 335	1 set
600		9 278 336	1 set
600	600 - 2 (for 2 x 40 l)	9 278 337	1 set

Partitioning




Planning dimensions



Bin height mm	X mm	Y mm
295	375	285
460	540	450
505	585	495

Waste collecting systems

- ▶ Waste collecting systems behind front panels
- ▶ AvanTech YOU Pull



- ▶ For fitting any chosen component in the AvanTech YOU Pull frame
- ▶ Plastic bin with sturdy double handle
- ▶ As standard, all bins are supplied without lid
- ▶ Lids must be ordered separately, see below
- ▶ The lid heights specified below are total dimensions, the additional height for all lids is 2 mm

Bin


Article	Material/finish	Width mm	Depth mm	Height mm	Order no.	PU
Bin 5 l	Plastic anthracite	152	152	295	9 279 389	1 ea.
Bin 8 l	Plastic anthracite	152	225	295	9 279 390	1 ea.
Bin 11 l	Plastic anthracite	152	304	295	9 279 391	1 ea.
Bin 17 l	Plastic anthracite	225	304	295	9 279 392	1 ea.
Bin 29 l	Plastic anthracite	225	304	460	9 279 393	1 ea.
Bin 40 l	Plastic anthracite	223	418	505	9 279 394	1 ea.

Lid

Article	Material/finish	Width mm	Depth mm	Height mm	Order no.	PU
Lid 5 l	Plastic anthracite	152	152	21	9 279 395	1 ea.
Lid 5 l	Plastic green	152	152	21	9 132 344	1 ea.
Lid 8 l	Plastic anthracite	152	225	21	9 279 396	1 ea.
Lid 7 / 8 l	Plastic green	152	225	21	9 132 382	1 ea.
Lid 11 l	Plastic anthracite	152	304	21	9 279 397	1 ea.
Lid 17 / 29 l	Plastic anthracite	225	304	21	9 279 398	1 ea.
Lid 40	Plastic anthracite	223	418	21	9 279 399	1 ea.

Information

- ▶ AvanTech YOU drawer components 8 - 29



Work with precision and save time

You can now receive active support in meeting the technical challenges encountered in the furniture workshop: from Hettich's intelligent work assistants. These make the various production steps faster, more accurate and more reliable. Valuable assistance in the processing

and assembly of drawers, runners, hinges, mounting plates, connecting fittings, drawer fronts, handles etc. You can significantly increase your work efficiency with Hettich work assistants.



Drilling the systematic way: the Accura drilling jig with various drilling templates is the versatile modular system for your furniture workshop.



For fitting drawer fronts with effortless ease: Practica drilling jig.



hettich.com/short/1ba5ca

Find out more: You can get inspiration and further product details on our website.

Assembly aids and drilling jigs

▶ Summary



Assembly aids for drawers

- ▶ For AvanTech YOU
- Range summary / technical comparison

66



Drilling jigs

- ▶ For AvanTech YOU

67



Drilling jigs for front / rear panel fixing

- ▶ For AvanTech YOU


68 – 76



Tooling for knocking in drawers and drill bit with cylindrical shaft

- ▶ For AvanTech YOU

77




Hettich Technical Assistant

- ▶ Installation
- ▶ Adjustment
- ▶ Service

hettich.com/short/cffe5a

Assembly aids for drawers

► Range summary / technical comparison

	AvantFit 300	AvantFit 200	AvantFit 100
			
Page	67	67	67
Description	Stationary assembly aid	Stationary assembly aid	Transportable assembly aid
Suitable for installation	AvanTech YOU drawers and pot-and-pan drawers	AvanTech YOU drawers and pot-and-pan drawers	AvanTech YOU drawers and pot-and-pan drawers

Assembly aids for drawers and pot-and-pan drawers

▶ AvanFit YOU

AvanFit 300



- ▶ For assembling AvanTech YOU drawers and pot-and-pan drawers
- ▶ Manual system positioning and pneumatic system pressing
- ▶ All settings can be made without the need for tools
- ▶ Air pressure 6 - 8 Bar / 100 psi
- ▶ Capacity: up to 65 drawers an hour
- ▶ Metal frame

Technical specifications:

- ▶ Dimensions approx. 2000 mm x 1400 mm
- ▶ The device must be mounted on a workbench
- ▶ Cycle time: approx. 45 sec.
- ▶ Area of application: up to 500 drawers / shift

Settings:


- ▶ All standard formats can be set without tools using fixed stops
- ▶ All intermediate dimensions are manually adjustable to the millimeter

Space requirement:

- ▶ Workbench with worktop 2000 x 800 mm

Order no.	PU
9 277 500	1 ea.


AvanFit 200



- ▶ For assembling AvanTech YOU drawers and pot-and-pan drawers
- ▶ Manual component positioning and assembling
- ▶ All settings can be made without the need for tools
- ▶ Aluminium frame
- ▶ Capacity: up to 30 drawers an hour

Order no.	PU
9 219 689	1 ea.

AvanFit 100




- ▶ For assembling AvanTech YOU drawers and pot-and-pan drawers
- ▶ Manual component positioning and assembling
- ▶ All settings can be made without the need for tools
- ▶ Plastic
- ▶ Capacity: up to 10 drawers an hour

Order no.	PU
9 219 678	1 ea.

Drilling jigs


- ▶ Accura
- ▶ For hinges, mounting plates, runners and handles

Accura drilling jig



Drilling jigs

- ▶ Accura
- ▶ For hinges, mounting plates, runners and handles



- ▶ Modular system drilling jig
- ▶ Providing versatility, a variety of drilling templates are available for mounting all sorts of fittings
- ▶ Efficient, economical and professional
- ▶ Stops can be used on the left and right
- ▶ Easy adjustment of drilling templates and stops via clamping screws
- ▶ Rail with measurement scale
- ▶ Dimension easy to find through viewing window in the drill body
- ▶ Drill body and rail in aluminium
- ▶ Using sleeve drill bits - minimum drill wear as the drill bit does not come into contact with the jig
- ▶ Please order sleeve drill accessories separately

The various Accura drilling templates can be used for mounting the following fittings:

- ▶ Actro YOU / Quadro YOU for AvanTech YOU
- ▶ Quadro runners for InnoTech Atira
- ▶ Quadro runners with slide on assembly, partial and full extension runner
- ▶ Quadro runners with plug on assembly, partial and over extension runner
- ▶ Ball bearing runners KA
- ▶ Sensys, Intermat hinges
- ▶ System 32, hole line drillings
- ▶ Handles with 2 or 3 plinths for a drill hole spacing of 64 mm or more
- ▶ Furniture knobs

Page reference:

- ▶ For accessory sleeve drill, see page 78

Accura

Article	Order no.	PU
1 Accura rail with measurement scale, length 2000 mm	0 020 014	1 ea.
1 Accura rail with measurement scale, length 500 mm	0 044 764	1 ea.
1 Accura rail with measurement scale, length 1000 mm	0 070 263	1 ea.
1 Accura rail with measurement scale, length 1500 mm	0 070 264	1 ea.
2 Accura drill body with centring pin and marking element, aluminium / plastic, for hinges / mounting plates	0 013 841	1 ea.
3 Centring pin	0 023 680	1 ea.
4 Replacement slide rail with drilling bush for Accura drill body for handles and knobs	0 044 767	1 ea.
5 Accura drill body for runner systems, aluminium / plastic	0 070 265	1 ea.
6 Accura drill body for handles and knobs, aluminium / plastic	0 044 765	1 ea.
7 Adjustable stop for assembled cabinet body, plastic	0 070 267	1 ea.
8 Adjustable stop for individual (disassembled) cabinet body sides, plastic	0 070 266	1 ea.
9 Marking pin for hole lines	0 046 629	1 ea.



hettich.com/short/490be5

Cabinet body drilling jig for runners



- Can be used for:
 - Actro YOU, Quadro YOU runner system for AvanTech YOU
 - Quadro for InnoTech Atira
 - Quadro for wooden drawers (slide on and plug on installation, partial and full extension runners)
 - KA ball bearing runners
- Plastic

Order no.	PU
9 257 327	1 ea.




hettich.com/short/f9d5ac

Drilling jigs

- ▶ Practica
- ▶ For front panel connector


Face angle application



- ▶ Face angle application for combination with Practica drilling jig for
 - AvanTech YOU
- ▶ Aluminium

Order no.	PU
0 078 093	1 ea.

Practica for AvanTech YOU



- ▶ For installing the front panel connector for
 - AvanTech YOU drawer / pot-and-pan drawer
- ▶ AvanTech YOU adjustment range
 - Side front panel overlay: up to +25 mm
 - Front panel height: from bottom edge of drawer runner, up to +22 mm
- ▶ Aluminium

Page reference:

- ▶ For accessory sleeve drill, see page 78

Order no.	PU
9 257 320	1 ea.

Practica 240



For drilling holes for connecting the front panel to AvanTech YOU:

- ▶ Low drawer side profile H 77
- ▶ Plastic
- ▶ Hardened steel drilling bushes for 10 mm drill bit with depth setting ring

Order no.	PU
9 257 318	1 ea.

Practica 250 for AvanTech YOU



For drilling holes for connecting the front panel to AvanTech YOU:

- ▶ Drawer / pot-and-pan drawer
- ▶ Plastic
- ▶ Hardened steel drilling bushes for 10 mm drill bit with depth setting ring

Order no.	PU
9 219 328	1 ea.

Drilling jigs

- ▶ BlueJig FC
- ▶ For AvanTech YOU

BlueJig AvanTech 105




For marking hole centre for attaching the drawer front connector to AvanTech YOU:

- ▶ Drawer height 101 / 139 mm
- ▶ Steel
- ▶ Drawer front connector with centring tips

Order no.	PU
9 257 323	1 set

Aligning the centre punch up against the drawer



BlueJig AvanTech 205



For marking hole centre for attaching the drawer front connector to AvanTech YOU:


- ▶ Drawer height 187 / 251 mm
- ▶ Steel
- ▶ Drawer front connector with centring tips

Set comprises:

- ▶ 2 BlueJig AvanTech YOU 205 (right / left)

Order no.	PU
9 257 324	1 set

Aligning the centre punch up against the drawer



Drilling jigs

- ▶ BlueJig FB
- ▶ For AvanTech YOU

BlueJig AvanTech 305 Inlay



For marking holes for attaching drawer front connector for AvanTech YOU Inlay:


- ▶ Drawer height 187 mm
- ▶ Steel
- ▶ Drawer front connector with centring tips

Set comprises:

- ▶ 2 BlueJig AvanTech YOU 305 (right / left)

Order no.	PU
9 257 331	1 set

Aligning the centre punch up against the drawer



Drilling jigs

- ▶ Practica
- ▶ For front panel connector, rear panel connector

Practica 265 for AvanTech YOU



For drilling holes for connecting the aluminium front panels to AvanTech YOU:

- ▶ Plastic
- ▶ Hardened steel drilling bushes for 3 mm drill bit

Order no.	PU
9 254 997	1 ea.

Practica 275 for AvanTech YOU



For drilling wooden rear panels / aluminium AvanTech YOU:

- ▶ Drawer side profile connectors
- ▶ Drawer side profile heights 101 / 139 / 187 / 251 mm
- ▶ Plastic
- ▶ Hardened steel drilling bushes for 4 mm drill bit

Order no.	PU
9 257 321	1 ea.

Practica 295 for AvanTech YOU



For drilling the wooden drawer rear panel / AvanTech YOU:

- ▶ Drawer side profile connectors
- ▶ C hook mount, drawer profile height 77 mm
- ▶ Plastic
- ▶ Hardened steel drilling bushes for 4 mm and 6 mm drill bits

Order no.	PU
9 257 322	1 ea.



hettich.com/short/bd9571

Drilling jigs

▶ BlueJig Actro YOU / Quadro YOU

▶ For fitting Actro YOU / Quadro YOU to wooden drawers, adjusting Push to open

BlueJig Actro YOU



- ▶ For drilling the hole for the C hook and catches on Actro YOU runners on wooden drawers
- ▶ Plastic with hardened drilling bushes in steel
- ▶ Please order accessory twist drill separately

Order no.	PU
9 257 813	1 ea.

BlueJig Quadro YOU



- ▶ For drilling the hole for the C hook and catches on Quadro YOU runners on wooden drawers
- ▶ Plastic with hardened drilling bushes in steel
- ▶ Please order accessory twist drill separately

Order no.	PU
9 257 325	1 ea.

BlueJig Push to open



- ▶ For adjusting the drawer front gap with Push to open Silent opening system on drawer runners:
 - Actro YOU
 - Quadro YOU
- ▶ Plastic

Order no.	PU
9 257 326	1 ea.

Knock in tool for AvanTech YOU drawer front connector



▶ For knocking in the AvanTech YOU drawer front connector

Design	Order no.	PU
Drawer side profile height 77 mm	9 257 316	1 ea.
Drawer side profile height 101 / 139 mm	9 257 314	1 ea.
Drawer side profile height 187 / 251 mm	9 257 315	1 ea.
Drawer side profile height 187 mm, Inlay	9 257 317	1 ea.
Centring piece H251	9 254 995	1 ea.

Wood drill bit with cylindrical shaft

▶ Sleeve drill, Centring drill bit

Sleeve drill



- ▶ Minimal drill wear as the drill bit does not come into contact with the jig
- ▶ Precision drill bit guidance through sleeve
- ▶ Adjustable drill depth stop
- ▶ Can be used with Accura, Practica

Page reference:

- ▶ For Accura drilling jig, see pages 68 - 69
- ▶ For Practica drilling jig, see page 71

Description	Diameter mm	Order no.	PU
Sleeve drill	3	0 078 095	1 ea.
Sleeve drill	5	0 070 268	1 ea.
Sleeve drill	10	0 078 096	1 ea.
Spare drill bit without sleeve	3	0 079 004	1 ea.
Spare drill bit without sleeve	5	0 070 269	1 ea.
Spare drill bit without sleeve	10	0 079 005	1 ea.

Centring drill bit




- ▶ HS drill bit
- ▶ Nickel plated
- ▶ Hexagonal shaft
- ▶ Overall length 112 mm

Diameter mm	Order no.	PU
2.5	9 257 319	1 ea.



hettich.com/short/f8e465

We are improving our environmental performance – as proven by EMAS, the world's most stringent environmental management system.



Our corporate principles include taking responsibility for preserving the natural basis of life. This is where we regard statutory provisions as minimum requirements. Over and above meeting statutory requirements, it is imperative for all members of staff to act in a way that conserves energy and resources in their own particular work environment in order to overcome the global ecological challenges of the near future. In the same way, using energy and resources efficiently also plays a key part in maintaining our competitive edge.

The group wide Environmental Department was established back in 1992, with its sustainability principles of environmental protection and occupational health and safety having consistently set the framework for leading the company group forward in this direction since 1993. Introduced in 1996, the environmental management systems complying with the European EMAS Regulation (Eco Management and Audit Scheme), including ISO 14.001, are of central impor-

tance in this context. These implemented a targeted approach to identifying and realising the potentials for using energy and resources in an efficient manner as well as to ensuring conformity with the law. The results are nothing short of impressive.

Environmentally friendly projects

Innovative projects are the mark of our approach to environmental management. For instance, the primary-energy requirement of our new production facilities is up to 75% below the specifications demanded in building legislation. The exemplary, consistent use of wood-based materials in constructing our commercial buildings puts us on the forefront of using resource-conserving, renewable building materials that take enormous quantities of climate-damaging CO₂ out of the atmosphere while they are growing.

Since 2015, we have been trying out three new vehicles, each employing different propulsion systems, to test the



practical suitability of electric mobility in a variety of usage situations. At our Indian production plant, heavy metals are absorbed from concentrated waste water using an innovative method that involves living algae. At our factory in China, a solar-powered system provides staff accommodation and the canteen with hot water.

Success stories

Between 1997 and 2015, for example, we have managed to reduce environmental pollution from manufacturing our drawer runners and drawer systems at the Kirchlengern-Bünde production facility as follows:

- ▶ Specific water consumption 45 %
- ▶ Specific power consumption 10 %
- ▶ Specific heat consumption 73 %
- ▶ Specific CO₂ emission 30 %

Numerous awards reflect our commitment to the environment. In 2009, the European Commission gave our zero-energy Hettich Forum building the Green Building Award at national level. In 2016, we won the sustainability prize from the East Westphalian Business Environment Foundation for an environment education project carried out over 20 years.

Order number index

Order no.	Page										
0 013 841	69	9 194 997	50	9 255 135	17	9 255 325	10	9 255 782	31	9 255 825	11
0 020 014	69	9 194 998	50	9 255 136	17	9 255 326	10	9 255 783	31	9 255 825	17
0 023 680	69	9 194 999	50	9 255 137	17	9 255 331	10	9 255 784	31	9 255 826	11
0 044 764	69	9 195 000	50	9 255 174	11	9 255 332	10	9 255 785	31	9 255 826	17
0 044 765	69	9 195 001	50	9 255 175	11	9 255 334	14	9 255 786	31	9 255 827	11
0 044 767	69	9 195 002	50	9 255 176	11	9 255 335	14	9 255 787	31	9 255 827	17
0 044 934	50	9 195 004	50	9 255 177	11	9 255 336	14	9 255 788	31	9 255 828	11
0 045 167	35	9 203 254	55	9 255 178	11	9 255 337	14	9 255 789	31	9 255 828	17
0 045 168	35	9 203 465	55	9 255 179	11	9 255 338	14	9 255 790	31	9 255 829	11
0 046 629	69	9 203 467	55	9 255 180	11	9 255 339	14	9 255 791	31	9 255 829	17
0 070 263	69	9 203 468	55	9 255 181	11	9 255 340	14	9 255 792	31	9 255 830	11
0 070 264	69	9 204 283	60	9 255 210	17	9 255 342	16	9 255 793	31	9 255 830	17
0 070 265	69	9 204 284	60	9 255 211	17	9 255 343	16	9 255 794	31	9 255 831	31
0 070 266	69	9 207 046	59	9 255 212	17	9 255 344	16	9 255 795	31	9 255 835	12
0 070 267	69	9 207 047	59	9 255 213	17	9 255 349	16	9 255 796	31	9 255 836	12
0 070 268	78	9 207 224	51	9 255 214	17	9 255 350	16	9 255 797	31	9 255 838	18
0 070 269	78	9 207 226	51	9 255 215	17	9 255 353	20	9 255 798	31	9 255 839	18
0 074 430	50	9 207 227	51	9 255 216	17	9 255 354	20	9 255 799	31	9 256 864	40
0 078 093	71	9 207 238	51	9 255 217	17	9 255 355	20	9 255 800	31	9 256 865	40
0 078 095	78	9 209 575	58	9 255 282	8	9 255 356	20	9 255 801	31	9 256 868	40
0 078 096	78	9 209 582	58	9 255 284	10	9 255 357	20	9 255 802	31	9 256 869	40
0 079 004	78	9 213 637	58	9 255 285	10	9 255 358	20	9 255 803	31	9 256 872	40
0 079 005	78	9 219 328	71	9 255 286	10	9 255 359	20	9 255 813	11	9 256 873	40
0 079 665	8	9 219 678	67	9 255 291	10	9 255 759	31	9 255 813	17	9 256 876	40
9 079 207	50	9 219 689	67	9 255 292	10	9 255 760	31	9 255 814	11	9 256 877	40
9 123 080	33	9 221 295	39	9 255 294	14	9 255 761	31	9 255 814	17	9 256 883	40
9 132 344	63	9 221 295	43	9 255 295	14	9 255 762	31	9 255 815	11	9 256 884	40
9 132 382	63	9 230 268	56	9 255 296	14	9 255 763	31	9 255 815	17	9 256 886	40
9 182 230	56	9 230 269	56	9 255 297	14	9 255 764	31	9 255 816	11	9 256 896	40
9 182 249	56	9 236 718	39	9 255 298	14	9 255 765	31	9 255 816	17	9 256 984	36
9 182 250	56	9 236 718	43	9 255 299	14	9 255 766	31	9 255 817	11	9 256 985	36
9 194 962	50	9 254 995	77	9 255 300	14	9 255 767	31	9 255 817	17	9 256 988	36
9 194 963	50	9 254 997	74	9 255 302	16	9 255 768	31	9 255 818	11	9 256 989	36
9 194 964	50	9 255 094	11	9 255 303	16	9 255 769	31	9 255 818	17	9 256 992	36
9 194 965	50	9 255 095	11	9 255 304	16	9 255 770	31	9 255 819	11	9 256 993	36
9 194 966	50	9 255 096	11	9 255 309	16	9 255 771	31	9 255 819	17	9 256 996	36
9 194 967	50	9 255 097	11	9 255 310	16	9 255 772	31	9 255 820	11	9 256 997	36
9 194 968	50	9 255 098	11	9 255 313	20	9 255 773	31	9 255 820	17	9 256 999	36
9 194 969	50	9 255 099	11	9 255 314	20	9 255 774	31	9 255 821	11	9 257 000	36
9 194 970	50	9 255 100	11	9 255 315	20	9 255 775	31	9 255 821	17	9 257 002	36
9 194 971	50	9 255 101	11	9 255 316	20	9 255 776	31	9 255 822	11	9 257 034	36
9 194 973	50	9 255 130	17	9 255 317	20	9 255 777	31	9 255 822	17	9 257 036	36
9 194 993	50	9 255 131	17	9 255 318	20	9 255 778	31	9 255 823	11	9 257 038	36
9 194 994	50	9 255 132	17	9 255 319	20	9 255 779	31	9 255 823	17	9 257 040	36
9 194 995	50	9 255 133	17	9 255 322	8	9 255 780	31	9 255 824	11	9 257 041	36
9 194 996	50	9 255 134	17	9 255 324	10	9 255 781	31	9 255 824	17	9 257 180	22

Order number index

Order no.	Page						
9 257 181	22	9 257 615	26	9 257 891	38	9 279 203	52
9 257 182	22	9 257 616	26	9 257 892	38	9 279 389	63
9 257 183	22	9 257 617	26	9 257 893	38	9 279 390	63
9 257 184	22	9 257 619	26	9 257 895	42	9 279 391	63
9 257 185	22	9 257 620	26	9 257 896	42	9 279 392	63
9 257 186	22	9 257 621	26	9 262 213	39	9 279 393	63
9 257 187	22	9 257 625	26	9 262 213	43	9 279 394	63
9 257 188	22	9 257 627	26	9 268 149	34	9 279 395	63
9 257 189	22	9 257 643	32	9 268 681	36	9 279 396	63
9 257 190	22	9 257 645	32	9 270 186	32	9 279 397	63
9 257 191	22	9 257 647	32	9 270 187	32	9 279 398	63
9 257 192	22	9 257 649	32	9 277 500	67	9 279 399	63
9 257 193	22	9 257 652	28	9 278 224	35	9 283 178	33
9 257 260	41	9 257 653	28	9 278 225	35	9 283 179	33
9 257 261	41	9 257 658	28	9 278 249	56	9 283 180	33
9 257 263	37	9 257 659	28	9 278 291	52	9 283 181	33
9 257 264	37	9 257 664	28	9 278 292	52	9 283 182	33
9 257 273	26	9 257 665	28	9 278 293	52	9 283 183	33
9 257 274	26	9 257 678	24	9 278 294	52	9 283 184	33
9 257 275	26	9 257 679	24	9 278 295	53	9 283 244	33
9 257 277	26	9 257 680	24	9 278 296	53	9 283 259	33
9 257 278	26	9 257 681	24	9 278 297	53		
9 257 279	26	9 257 682	24	9 278 298	53		
9 257 305	24	9 257 683	24	9 278 299	53		
9 257 306	24	9 257 684	24	9 278 300	53		
9 257 307	24	9 257 685	24	9 278 301	52		
9 257 308	24	9 257 690	24	9 278 302	52		
9 257 310	24	9 257 691	24	9 278 309	57		
9 257 311	24	9 257 692	24	9 278 310	57		
9 257 312	24	9 257 693	24	9 278 312	53		
9 257 313	24	9 257 694	24	9 278 313	52		
9 257 314	77	9 257 695	24	9 278 319	54		
9 257 315	77	9 257 696	24	9 278 320	54		
9 257 316	77	9 257 697	24	9 278 332	54		
9 257 317	77	9 257 702	10	9 278 333	54		
9 257 318	71	9 257 702	12	9 278 334	62		
9 257 319	78	9 257 702	14	9 278 335	62		
9 257 320	71	9 257 702	16	9 278 336	62		
9 257 321	74	9 257 702	18	9 278 337	62		
9 257 322	74	9 257 702	20	9 278 343	60		
9 257 323	72	9 257 702	22	9 278 344	60		
9 257 324	72	9 257 704	32	9 278 452	39		
9 257 325	76	9 257 705	32	9 278 452	43		
9 257 326	76	9 257 735	27	9 278 453	39		
9 257 327	70	9 257 736	27	9 278 453	43		
9 257 331	73	9 257 813	76	9 279 197	35		



2002-019_Avantech-YOU_07/20_HCA/en

proudly distributed by



1-855-650-3265 | www.rugbyabp.com