



Louver Doors

[DOWNLOAD SPECIFICATIONS](#)

Our Radiata Pine Louver Doors provide the necessary airflow where it is needed most. Whether it is for a laundry room, HVAC or bedroom closet, the louver design allows fresh air to circulate freely. We offer the radiata door in a paint grade raw or primed finish. Marwin Louver doors are readily available in 6/8 & 8/0 heights. Special orders for odd size or special layouts may be ordered for large projects.




Note: All Louver doors can be pre-fit, beveled or both for a small charge. All doors are full width and height and CARB II compliant.



Proudly Supplied By



615-885-0355 | www.warrenbros.com



6/8 X1-3/8 LL Louver Door
Top: 38 Louvers
Bottom: 24 Louvers
Louver Size: 30X5.5MM



French Doors

[DOWNLOAD SPECIFICATIONS](#)


Our Radiata Pine French Doors are available in Clear (stain grade) or primed finish. All doors are constructed with TDL tempered glass. All sizes from 2/0 to 3/0 are in stock and offered in 6/8 & 8/0 Heights. Marwin's French doors are a perfect way to add privacy to any room or home office while maintaining an open feel and bright environment.

Special order 1 lite, 3, lite, and 5 lite French Doors available.

Note: All French doors can be pre-fit, beveled or both for a small charge. All doors are full width and height and CARB II compliant.

Specifications

- Clear and Primed
- 6/8 and 8/0 in standard widths available
- True Divided Light (TDL)




Proudly Supplied By



TECH DATA


Dimensions - French doors



15 lite

APPLICABLE UNITS


- ▶ **M1515**
(clear pine stiles & rails)
- ▶ **M1515B**
(clear pine stiles & rails)
- ▶ **MDF1515**
(primed MDF veneered stiles & rails)
 - 1-3/8" thick
 - matched profile muntin bars and sticking
 - dowel construction
 - TDL (M1515 & MDF1515),
TDL with beveled glass (M1515B)
 - tempered glass



10 lite

APPLICABLE UNITS

- ▶ **M1510**
(clear pine stiles & rails)
- ▶ **M1510B**
(clear pine stiles & rails)
- ▶ **MDF1510**
(primed MDF veneered stiles & rails)
 - 1-3/8" thick
 - matched profile muntin bars and sticking
 - dowel construction
 - TDL (M1510 & MDF1510),
TDL with beveled glass (M1510B)
 - tempered glass



8 lite cathedral top

APPLICABLE UNITS

- ▶ **M1508C**
(clear pine stiles & rails)
 - 1-3/8" thick
 - matched profile muntin bars and sticking
 - double or single hip raised panel
 - dowel construction
 - TDL
 - tempered glass

2'6" x 6'8" dimensions given for units shown - see product pages for available widths.

Select models available in 6'8", 7'0" and 8'0" heights.