



HARDWOOD PLYWOOD





Real Beauty.
Real Quality.
Real Wood.



FalconPly™ Hardwood Plywood. It's as attractive as it is versatile, reflecting nature's understated beauty alongside technological breakthroughs. And for over 100 years, Timber Products has pioneered hardwood plywood manufacturing, creating products that are unrivaled in quality, craftsmanship and environmental responsibility. Today, all of our hardwood plywood is environmentally certified and meets the strictest emission requirements in the world.

When you're dedicated to providing the most impressive hardwood plywood on the planet, you take the entire process seriously. As one of the nation's largest independently owned hardwood plywood manufacturers, we control every step in producing our premier **FalconPly**. It's something we like to call vertical integration.


It means that each and every product that bears our name is designed and engineered to the highest standards and, most importantly, isn't compromised by middlemen. Sourcing from responsibly managed timberlands, to the ten manufacturing mills we own and operate across the nation, to utilizing our transportation operations for logistics and trucking of products, our quality is never left to chance.

It's this obsessive commitment to excellence that allows Timber Products to offer unequaled quality and the industry's best service, and to remain a vital resource, not only for our customers, but also for the environment.



TimberProducts is one of the nation's largest and most respected manufacturers of a comprehensive range of wood products.

As an independently owned, fully integrated company with dedicated manufacturing facilities in both the western and eastern United States, we provide immediate access to a tremendous selection of products and services. We've implemented new technologies to make our operations more efficient and our products more cost-effective. We can respond to your needs faster, with greater flexibility and with an absolute assurance of quality.



- Corporate HQ
- Manufacturing
- Trucking & Logistics
- Global Reload Locations



Nothing compares to the timeless beauty of natural wood.

That's why Timber Products' FalconPly™ features real wood veneers handpicked by seasoned professionals. It takes more time, but there's just no comparison to the precision of an experienced eye, carefully scanning each and every piece of hardwood veneer to ensure it exemplifies the rich character, grade and appearance of each species.

In fact, we're so obsessed with providing quality hardwood veneers that we built our own state-of-the-art veneer mill in Munising, Michigan. It

is one of the largest mills of its kind in North America, and supplies our hardwood mills with a wide range of rotary maple veneer, along with oak, birch and cherry.

Timber Products hardwood plywood is available in many species; the options below are a sampling of available hardwood veneer.



African Mahogany



Aromatic Cedar



Cherry



European Chestnut



Natural Birch



Poplar



Red Alder



Red Oak



Spanish Cedar



Walnut



White Ash



White Birch



White Maple


It all comes down to the grain.

Whether it's red oak, maple or an exotic like anegre, a hardwood's grain is responsible for its unmistakable beauty and appeal. Which means consistency and quality are paramount when it comes to producing hardwood veneers. That's why Timber Products uses four unique processes to produce a range of wood patterns that are graded and sorted by hand, ensuring a reliable grain pattern on each and every panel.

ROTARY

The log is centered in the lathe and turned against a knife blade at a slight angle following the log's annular growth rings, producing a multi-patterned grain veneer.


Ideal for: Large surface applications where a broad grain pattern will suffice. Rotary cut sheets are generally less expensive than sliced veneer and can yield whole piece face sheets.



QUARTER SLICING

Produces a narrow, striped grain veneer where the growth rings of the log strike the blade at approximately right angles. Some species will create a series of straight stripes, while others' stripes may be varied in angle and length. Red and white oak produce a pronounced flake pattern when quarter sliced, while mahogany creates a ribbon stripe pattern.


Ideal for: Mission-style or other applications requiring a uniform appearance with generous ray flaking. More cost-effective than rift-cutting.



RIFT CUT

Produces a rift or comb grain effect similar to that of quarter slicing, but generally is only used with red and white oak. This process minimizes ray flake as the log is cut at an angle of about 15 percent off the quartered position.


Ideal for: An application calling for uniform white or red oak appearance without ray flake. Generally higher in cost due to low yields.



PLAIN SLICING OR FLAT CUT

The most common slicing method that produces a distinct cathedral grain veneer. A half log, or flitch, is mounted so that the veneer is cut along the growth rings, parallel to a line through the center of the log.

Ideal for: Any application where an eye-catching pattern is desired at an affordable cost; of the slicing methods, plain slicing is the least expensive.





CLEARING THE AIR

For nearly 100 years, Timber Products has pioneered hardwood plywood manufacturing. Today, all of our FalconPly™ is environmentally certified and meets the strictest emission requirements in North America.

CARB- AND LEED®-COMPLIANT

Our award-winning products are a testament to our environmental stewardship and leadership.

- Engineered with innovative EcoBind Resin
- CARB-Compliant
- LEED®-Compliant
- FSC® Chain-of-Custody certified upon request

FSC CHAIN-OF-CUSTODY CERTIFICATION

Along with its innovative adhesive that reduces VOC off-gassing, Timber Products' FalconPly features FSC Chain-of-Custody (CoC) Certification. These exclusive designations certify that our hardwood and softwood are sourced only from responsibly managed forestlands, and are meticulously tracked to ensure your order is certified and documented to meet green building program requirements.

Our commitment to excellence allows Timber Products to offer unequalled product quality and the industry's best service. Sourcing from responsibly managed timberlands to finished products, we are a tremendous resource to our customers and a steward of the environment.

It's what's on the
inside that counts.



CARB-compliant

Our hardwood plywood products have emission levels that approach the low levels from natural wood.

FORMALDEHYDE EMISSIONS IN PARTS PER MILLION (PPM)



*Each of these levels are below the CARB II requirement of .05 ppm, the most stringent emission requirement in North America.

EMISSION FACTS

Formaldehyde is a simple chemical compound made of hydrogen, oxygen and carbon, with the formula CH_2O . All organic life forms – bacteria, plants, fish, animals and humans – make formaldehyde at various levels. Formaldehyde does not accumulate in the environment or within people, as metabolic processes quickly

break it down in the body and the atmosphere. It has become an essential part of the production of hundreds of beneficial products that are used every day in homes and factories. Formaldehyde-based technologies are an important part of the U.S. economy, as they are used to produce a wide range of materials.



In the world of
hardwood plywood,
there's no such thing
as "one size fits all."



FalconPly™



That's why Timber Products offers many unique substrates that provide optimum quality and performance for every application, even those calling for custom solutions. We also offer fire-retardant, water-resistant, no-added-urea formaldehyde and poplar and lauan blank cores.

Veneer Core (White Fir and Douglas Fir)

We manufacture one of the industry's finest softwood veneer cores using trees harvested from responsibly managed forest lands and peeled at our facility. The quality of our softwood veneer yields a core that is consistent in thickness and a wood veneer laminating surface that is second to none.

Material Ratings

| | | | |
|-----------------------|---|---------------|---|
| Cost | 3 | Machinability | 4 |
| Laminating Surface | 3 | Weight | 5 |
| Screwholding Strength | 5 | | |



Medium-Density Fiberboard Core

Our medium-density fiberboard core can be machined to the finest tolerances without chipping. It provides an exceptional laminating surface that is smooth, hard and consistent throughout the panel.

Material Ratings

| | | | |
|-----------------------|---|---------------|---|
| Cost | 4 | Machinability | 5 |
| Laminating Surface | 5 | Weight | 2 |
| Screwholding Strength | 3 | | |



Particleboard Core (Commercial and Industrial Pine and Fir)

Our specially engineered particleboard core provides the perfect density on the face and back to accept laminates of all kinds, and a core that delivers physical properties to make it a workhorse for many applications.

Material Ratings

| | | | |
|-----------------------|---|---------------|---|
| Cost | 5 | Machinability | 3 |
| Laminating Surface | 4 | Weight | 2 |
| Screwholding Strength | 3 | | |



Pro-Core MDF

Pro-Core MDF uses MDF crossbands and a veneer core interior to deliver the best performance of any core material we offer. The MDF face and back offer the best laminating surface, and the veneer core delivers the best physical properties and lighter weight.

Material Ratings

| | | | |
|-----------------------|---|---------------|---|
| Cost | 2 | Machinability | 4 |
| Laminating Surface | 5 | Weight | 4 |
| Screwholding Strength | 4 | | |



FeatherPly

Manufactured from falcata veneers, FeatherPly™ maintains the integrity of standard veneer cores while weighing 40% less. Optimal for applications where weight is crucial, our core is also easily machinable, adding life to your tools.

Material Ratings

| | | | |
|-----------------------|---|---------------|---|
| Cost | 3 | Machinability | 5 |
| Laminating Surface | 4 | Weight | 5 |
| Screwholding Strength | 3 | | |





Performance is
in the Finish.

Enhance the beauty of your natural wood products with Timber Products' RhinoCoat™ prefinished panels.

RhinoCoat UV prefinishing is applied using an innovative ultraviolet curing technology, which contains no harmful volatile organic compounds (VOCs) and emits zero formaldehyde. By reducing the need for on-site spray finishing and drying in low-wear applications, RhinoCoat prefinished hardwood panels can help you increase your throughput, reduce factory emissions, enhance quality and improve overall manufacturing efficiency by allowing finishing labor to focus on more critical areas of production.

Because we know you need flexibility in your projects, RhinoCoat prefinished panels are available in a wide range of sizes, thicknesses, veneer species and core materials. Our finish has been engineered to meet your requirements and has been tested against multiple industry standards. RhinoCoat prefinished panels can be customized to meet your needs for every application and are offered in a variety of gloss levels.

UV CURING TECHNOLOGY

Ultraviolet curing technology is one of the most environmentally conscious ways to finish a product. UV curing contains no formaldehyde and no harmful volatile organic compounds. In addition to the environmental benefits, RhinoCoat UV finished panels provide you with a durable surface for low-wear applications and won't show any effect from common household chemicals, foods or solvents.

COST ADVANTAGE

To help you control expenses, the overall finish cost for UV-cured panels is well below traditionally applied coatings. Our flatline process helps reduce waste by allowing excess finish to be recycled and reapplied. You'll also see additional cost advantages with RhinoCoat panels through improved production and labor efficiencies.

MULTIPLE APPLICATIONS

RhinoCoat prefinished panels are a perfect solution for applications such as drawers, cabinet interiors, interior shelves and other low-wear applications.



RhinoCoat™

In addition to the natural aesthetic qualities and premier finishing properties, RhinoCoat panels are built to meet these performance standards:

| | | |
|---|---|---|
| ASTM D 968 | Falling sand abrasion resistance | Pass 7 liters falling sand |
| ASTM D 1308 | Effect on household chemicals | Pass covered spot test |
| ASTM D 2197 | Scrape adhesion balance beam scrape tester (Belmar) | Pass 5 Kg load |
| ASTM D 3359 | Cross hatch or X scribe tape adhesion | Pass 4B-5B |
| ASTM D 3363 | Pencil hardness | Pass 2H (test results may be skewed due to hardness of face veneer or core) |
| ASTM D 4060 | Abrasion resistance using Taber Abraser | Pass 500 cycles CS-17 abrasive wheel |
| AWI 1500-G-6 | Standard production finishes; AWI-G-7 Specialty Finishes | Equals or exceeds all finishes listed in these designations. Refer to AWI 1500-G-9 Finish System Performance Table. |
| AHA Class II Hardwood | Passes tests that would be relevant to hardwood plywood | |
| ASTM D 2794 | Impact est | Pass 20 inch-pounds of direct impact |
| KCMA/NKBA Chemical Reagents (similar to ASTM 1308 as listed above) | | Pass all tests |

HARDWOOD PLYWOOD

timberproducts.com

(541) 747-4577
(800) 547-9520

P.O. Box 269
Springfield, OR 97477



Proudly Supplied By

RUGBY[®]

Architectural Building Products

1-855-650-3265 | www.rugbyabp.com